

TOWN OF COMOX

Zoning Bylaw No. 2056



Contents

SECTIO	DN 1	ADMINISTRATION	1
1.1	Titl	e	1
1.2	Apı	plication	1
1.3	Sev	erability	2
1.4	Cor	mpliance with Other Legislation	2
1.5	Rep	peal	2
SECTIO	2 NC	ENFORCEMENT	3
2.1	Ger	neral	3
2.2	Rig	ht of Entry	3
2.3	Off	ences	3
2.4		nalties	
SECTIO	S NC	INTERPRETATION	4
3.1	Ger	neral	4
3.2	Ma	ps and Schedules	5
3.3	Fig	ures	5
3.4	Uni	its of Measurement	6
SECTIO	ON 4	DEFINITIONS	7
SECTIO	ON 5	GENERAL REGULATIONS	27
5.1	Use	es Permitted in All Zones	27
5.2	Use	es Prohibited in All Zones	27
5.3	Dev	velopment Standards	27
5.	3.1	Height	27
5.	3.2	Setbacks	29
5.	3.3	Future Road Dedication Setbacks	31
5.4	Der	nsity	32
5.	4.1	Floor Area Ratio	32
5.	4.2	Lot Coverage	
5.5		ual Clearance at Intersections	
SECTIO	ON 6	USE-SPECIFIC REGULATIONS	34
6.1	Acc	cessory Buildings and Structures	34
6.2	Am	enity Areas for Dwelling Units	34
6.3	Car	etaker Suites	35
6.4	Coa	ach Houses	36

6.5	Hon	ne Occupations	37
6.6	Seco	ondary Suites	41
6.7	Urb	an Agriculture	41
SECTIO	ON 7	LANDSCAPING AND SCREENING	43
7.1	Gen	eral	43
7.2	Land	dscaping Requirements	43
7.3	Land	dscape Screens	46
7.4	Fen	ces	48
7.5	Reta	aining Walls	50
SECTIO	8 NC	PARKING AND LOADING	51
8.1	Gen	eral	51
8.2	Loca	ation and Siting	51
8.3	Dimen	sion and Design Standards	52
8.4	Park	ring and Loading Requirements	56
8.	4.1	Standard Parking	58
8.	4.2	Barrier-Free Parking	61
8.	4.3	Commercial Vehicle Parking	62
8.	4.4	Electric Vehicle Parking	63
8.	4.5	Small Vehicle Parking	
	4.6	Tandem Parking	
	4.7	Visitor Parking	
	4.8	Loading Spaces	
8.5	•	cle Parking	
8.6		of Trip Facilities	
	-	LOW-DENSITY RESIDENTIAL ZONES	
		MULTI-UNIT RESIDENTIAL ZONES	
		MIXED-USE ZONES	
SECTIO	ON 12	EMPLOYMENT ZONES	94
SECTIO	ON 13	MARINE ZONES	99
SECTIO	ON 14	PARK AND PUBLIC USE ZONES	103
SECTIO	ON 15	SPECIAL USE ZONES CATEGORY	107
SECTIO	ON 16	COMPREHENSIVE DEVELOPMENT ZONES	111
SECTIO	NI 17	LEFFECTIVE DATE	180

SECTION 1 | ADMINISTRATION

1.1 Title

(1) This Bylaw may be cited as "Town of Comox Zoning Bylaw No. 2056".

1.2 Application

- (1) The Town is hereby divided into zones as shown on "Schedule A Zoning Map", which is attached to and forms an integral part of this Bylaw.
 - (a) Any map included in this Bylaw is attached to and forms an integral part of this Bylaw.
- (2) This Bylaw applies to all land, buildings, and structures, including the surface of water, within the boundaries of the Town.
- (3) No land, building, or structure within the Town shall be developed, used, constructed, erected, modified, converted, enlarged, re-constructed, altered, placed, maintained, or subdivided except in conformity with the provisions of this Bylaw.
- (4) Lawful non-conforming uses, buildings, and structures are subject to provisions of the *Local Government Act*.
- (5) This Bylaw shall not apply in the following situations:
 - (a) the use of a building or part thereof, as a temporary polling station, election official's headquarters, candidate's campaign office, and any other temporary use in connection with a federal, provincial, or municipal election, referendum, or census;
 - (b) the use of a building, or part thereof, as a constituency office for a federal Member of Parliament or a provincial Member of the Legislative Assembly when located in a **Mixed-Use**, **Employment**, or **Park and Public Use** zone, subject to the signage requirements established in the Town's *Sign Bylaw*;
 - (c) the temporary outdoor storage of materials which are incidental to the erection, maintenance, alteration, or sale of a building, structure, or utility for which a building or development permit has been issued provided such materials are removed within 30 days of project completion or one year following the issuance of a building permit, whichever is earliest;

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (d) the use of non-**Low-Density Residential**, non-**Multi-Unit Residential**, or non-**Agricultural** zones for activities such as amusement carnivals, religious gatherings, and music festivals for less than seven days, provided a valid licence has been issued under the Town's *Business Licence Bylaw*; and
- (e) the application of development standards for:
 - i. railways, pipelines, irrigation ditches, conduits, and flumes
 - ii. telecommunication modules, traffic control devices, free-standing lighting poles, and flag poles; and
 - iii. utilities, including those which are underground or within statutory rights-of-way and utility poles and anchors.

1.3 Severability

(1) If any section, subsection, sentence, clause, or phrase of this Bylaw is for any reason found to be invalid by a decision of a Court of competent jurisdiction, the invalid portion shall be severed and the validity of the remaining portion of the Bylaw shall not be affected.

1.4 Compliance with Other Legislation

(1) Nothing in this Bylaw shall exempt any person from their responsibility to ascertain and comply with the requirements of all other applicable municipal bylaws, provincial statutes or regulations, and federal statutes or regulations.

1.5 Repeal

(1) The Town of Comox Zoning Bylaw No. 1850, including all amendments, is hereby repealed.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 2 | ENFORCEMENT

2.1 General

(1) The Director of Development Services, the Building Inspector, and Bylaw Enforcement Officers are authorized to enforce the provisions of this Bylaw.

2.2 Right of Entry

- (1) The Director of Development Services, the <u>Building</u> Inspector, and Bylaw Enforcement Officers are authorized to enter, at all reasonable hours, onto any property to ascertain whether the provisions of this Bylaw are being adhered to.
- (2) No person shall interfere with or obstruct the Director of Development Services, the Building Inspector, or a Bylaw Enforcement Officer from entering upon property for the purpose of enforcing the provisions of this Bylaw.

2.3 Offences

- (1) No person shall contravene, cause, suffer, or permit a contravention of this Bylaw.
- (2) No person shall commence or undertake a use which is not permitted by this Bylaw.

2.4 Penalties

- (1) Each day that a contravention of this Bylaw occurs or is permitted to occur shall constitute a separate offence.
- (2) Any person who contravenes any provisions of this Bylaw is liable on summary conviction to a penalty not exceeding \$50,000.00 and the costs of prosecution.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

SECTION 3 | INTERPRETATION

3.1 General

- (1) Section headings in this Bylaw have been inserted as a matter of convenience and for reference only and in no way shall define or limit any of its provisions.
- (2) The following guidelines shall be applied in interpreting any use defined in **Section 4** of this Bylaw:
 - (a) typical uses listed in the definitions have been included as examples only and are not intended to be exclusive or restrictive; and
 - (b) where a specific use does not conform to the wording of any use defined in this Bylaw or generally conforms to the wording of two or more uses defined in this Bylaw, the use shall conform to and be included in the use class which is most appropriate in character and purpose.
- (3) Words or phrases not defined in this Bylaw, where defined by the *Community Charter* or the *Local Government Act*, shall have the same meaning as defined by those statutes.
- (4) Words or phrases not defined in this Bylaw, the *Community Charter*, or the *Local Government Act* shall be given their usual and customary meaning.
- (5) A reference in this Bylaw to any provincial or federal enactment shall be a reference to the enactment as amended, revised, consolidated, or replaced from time to time.
- (6) A reference in this Bylaw to any bylaw or policy of the Town is a reference to the bylaw or policy as amended, revised, consolidated, or replaced from time to time.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

3.2 Maps and Schedules

- (1) The Zoning Map and any other map included in this Bylaw shall be interpreted as follows:
 - (a) where a boundary is shown as approximately following a lot line, the lot line is deemed to be the boundary;
 - (b) where a boundary is shown as approximately following the Town boundary, the Town boundary;
 - (c) where a boundary is shown as approximately following the natural boundary of a watercourse, the natural boundary is deemed to be the boundary; and
 - (d) where a boundary follows a street, lane, railway, pipeline, power line, utility right-of way, or easement, the centreline of such feature is deemed to be the boundary unless otherwise clearly indicated on the map.
- (2) Where a boundary does not follow a legally defined property line and where the distances are not specifically indicated, the location of the boundary is determined by scaling from the corresponding map.
- (3) Where a survey plan approved by the Surveyor General indicates the adjustment of a parcel boundary due to accretion or erosion, the zoning designation applicable to the parcel is deemed to extend to the new parcel boundary despite the zoning designation of the accreted or eroded area indicated on the Zoning Map.
- (4) Where a lot is divided by a zone boundary on the Zoning Map, each area created by the division shall be considered a separate lot for the purpose of determining the applicable regulations of this Bylaw, including but not limited to required setbacks, projections, and screening.

3.3 Figures

(1) All figures used in this Bylaw are for illustrative purposes only and are not to scale.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

3.4 Units of Measurement

- (1) Metric units are used for all dimensions and measurements in this Bylaw.
- (2) For the purpose of this Bylaw, the following units of measure are abbreviated as follows:
 - (a) hectares ha
 - (b) metres m
 - (c) square metres m²
 - (d) cubic metres m³
 - (e) centimetres cm
- (3) Regulations in this Bylaw provided to one decimal place must not be rounded to whole numbers.
- (4) Where a calculation has been made for the purposes of compliance with the provisions of this Bylaw and does not yield a whole number, metric fractions of one half or greater (≥ 0.5) shall be rounded up to the nearest whole number and fractions of less than one half (< 0.5) shall be rounded down to the nearest whole number.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 4 | DEFINITIONS

4.1 In this Bylaw:

Accessory means clearly incidental and subordinate to a principal or secondary building, structure, or use, on the same lot.

Accommodation, Bed and Breakfast means the use of one or more sleeping units within a principal dwelling unit to provide temporary accommodation for remuneration, and may include the provision of meals.

Accommodation, Campground means the provision of designated sites and associated facilities for the temporary accommodation of visitors using tents, trailers, recreational vehicles, cabins, or cottages for recreational purposes.

Accommodation, Hotel means a building or group of buildings with a common entrance lobby and shared corridors, divided into self-contained sleeping units which may include cooking facilities, used or intended to be used as accommodation for transient visitors. This use may also include other associated uses such as food services, banquet halls, meeting and convention rooms, recreation facilities, and personal service establishments for the convenience of guests, but specifically excludes motel accommodation.

Accommodation, Motel means a building or group of buildings divided into self-contained sleeping units used or intended to be used as accommodation for transient visitors, each with a separate exterior entrance and access to on-site parking, and which may include cooking facilities. This use may also include other associated uses such as food services, banquet halls, meeting and convention rooms, and personal service establishments for the convenience of guests.

Accommodation, Vacation Rental means the use of a dwelling unit to provide temporary accommodation for remuneration, and may include the provision of meals.

Agriculture means a farm use as defined by the *Agricultural Land Commission Act*. Typical uses include but are not limited to farming, horticulture, or the keeping of bees, poultry, dairy livestock, and horses.

Agriculture, Urban means the small-scale growing of crops or production of farm products and the keeping of bees and hens within an urban or suburban environment. This use may include a farm stand but specifically excludes the production or sale of cannabis products.

Airport means premises used for the arrival, departure, movement, or servicing of aircraft, including associated buildings, installations, hangars, open space, parking, and equipment.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Amenity Area, Private means an unenclosed area accessible only to the residents of an individual dwelling unit, typically in the form of a balcony, patio, or other such areas.

Amenity Area, Shared means common space accessible to all residents of a site, specifically designed and used for cultural, social, or recreational activities. Shared amenity areas located outdoors may include features that support urban agriculture activities, garden plots, tables, benches, playground equipment, fountains, pools, or outdoor cooking facilities, whereas shared amenity areas located indoors may include a sleeping unit for guest use, recreation and fitness equipment/facilities, cooking facilities, communal dining space, or meeting rooms.

See **Section 6.2** for additional amenity area regulations.

Animal Shelter means premises used for the care and shelter of domesticated animals which have been lost, abandoned, or seized, but specifically excludes a kennel.

Aquaculture, Land-Based means the non-mechanized cultivation, rearing, and harvesting of fish, finfish, mollusks, crustaceans, aquatic plants, and any other aquatic organisms within the foreshore, but specifically excludes the processing of such organisms.

Aquaculture, Marine-Based means the cultivation, rearing, and harvesting of fish, finfish, mollusks, crustaceans, aquatic plants, and any other aquatic organisms, but specifically excludes the processing of such organisms.


Automotive and Equipment Services, Light means the provision of services associated with new or used automobiles, motorcycles, bicycles, snowmobiles, tent trailers, travel trailers, recreational vehicles, and similar vehicles, including but not limited to retail sales, rental, servicing, washing, installation, detailing, painting, and repair, as well as the sale, installation, or servicing of parts and accessories that are associated with the primary automotive and equipment service.

Automotive and Equipment Services, Heavy means the sale, rental, service, or repair of heavy vehicles, machinery, or mechanical equipment typically used for building, roadway, pipeline, oil field, and mining, construction, manufacturing, assembling operations, processing operations, or agricultural production, but specifically excludes standard trucks, automobiles, or similar vehicles.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Basement means a portion of a building that is partially or completely underground and has a finished ceiling 0.6 metres or less above finished grade.

Figure 4-1. Basements



Breezeway means a roofed, unenclosed, single-storey connection between buildings, but specifically excludes underground connections.

Building means a structure having a non-fabric roof supported by columns or walls, used for the shelter, enclosure, or accommodation of persons and/or property.

Boat Launch means a permanent structure that extends from or near the natural boundary into the water for the purpose of launching or receiving docks, navigational devices, boats, and other such floating vessels in and out of the water.

Breakwater means a permanent structure constructed using stone or concrete that extends from or near the <u>natural boundary</u> into the water for the purpose of protecting a harbour or shoreline from tides, currents, waves, and storm surges.

Caliper means the diameter of a tree trunk measured at a point 0.3 metres above the top of the tree's root ball.

Caretaker Suite means a dwelling unit used to provide on-site accommodation for a single-person household employed on the property.

See **Section 6.3** for additional caretaker suite regulations.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Carport means a structure used to shelter one or more parked vehicles that is enclosed on no more than three sides.

Care Facility, Child means premises licensed under the *Community Care and Assisted Living Act* to provide care or supervision for three or more children.

Care Facility, Community means premises licensed as required under the *Community Care and Assisted Living Act* to provide care or supervision for three or more persons, and may include the provision of physical or mental health services, emergency or transitional care, and the short- and long-term prevention and treatment of illness, injury, or disability. Community care facilities may comprise individual dwelling units or sleeping units, and may include other associated uses such as standard administrative and operational support functions, temporary staff accommodation, provision of compassionate religious services, a lawfully operated helipad, and food services.

Care Facility, Licence-Not-Required means a home occupation for the provision of care or supervision, in accordance with the *Community Care and Assisted Living Act*, for:

- a maximum of two children or a sibling group, or
- a maximum of two persons not related by blood or marriage.

Chicken Coop means an enclosed, weatherproof structure used to house hens, including but not limited to roosting areas, nesting boxes, and feeding areas.

Coach House means a self-contained dwelling unit that is detached from and clearly secondary to a principal residential building on the same lot.

See **Section 6.4** for additional coach house regulations.

Commercial Unit means a building or portion thereof that is accessible by one or more common entrances and used by one business.

Commercial Vehicle means a commercial vehicle as defined by and licensed under the Commercial Transport Act, or any other such vehicle used for the collection, transport, or delivery of people or goods in the ordinary course of business.

Community Garden means land used by members of the public, either collectively or via individual plots, for the production of plants and food crops, demonstration gardening, or instructional programming.

Cooking Facility means an area within a building or structure used for the storage, preparation, or cooking of food, including any fixtures or appliances reliant on a 220V electrical outlet or a permanent gas line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Cultural and Community Services means premises used for cultural, recreational, or social purposes, including public or private clubs, spectator entertainment establishments, libraries, and cultural exhibits. Typical uses include but are not limited to municipal offices, community halls, social clubs, libraries, museums, galleries, and theatres.

Data Centre means a building or group of buildings used for the storage and operation of networked computers or data and transaction processing equipment, and may include telecommunication modules and associated components.

Density means a measure of the development intensity of a lot, including the number of dwelling units permitted on a lot measured in units per lot, units per hectare, or floor area ratio.

DND Facilities means any land, building, or structure used or intended to be used by the Department of National Defence.

Drive-Through Services means the provision of goods or services through a window by an attendant or automated machine, to persons remaining in vehicles in a designated queuing space. This use specifically excludes gas stations and light automotive and equipment services.

Driveway means the portion of a lot between a highway or lane and a parking or loading area used for vehicular access and egress, but specifically excludes internal manoeuvring aisles within a parking lot.

Dwelling Unit means a building or self-contained portion thereof containing sleeping, sanitary, and cooking facilities, used or intended to be used as a residence for one household, but specifically excludes hotel and motel accommodations or recreational vehicles.

Education Services means the provision of training, instruction, education, or certification in a specific trade, skill, or service, including classrooms, administrative offices, gymnasiums, or maintenance and/or storage facilities associated with the primary education service. Typical uses include but are not limited to public or private schools, community colleges, universities, vocational schools, and adult education centres.

Emergency and Protective Services means premises used as a base of operations for fire protection, police, ambulance, or other such services.

End-Of-Trip Facilities means amenities necessary to support cyclists, joggers, walkers, and other active commuters at the end of their trip, including but not limited to common clothing lockers, changeroom, washroom, and shower facilities, bicycle repair space, and bicycle wash stations.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Entertainment Facility means premises used to provide entertainment and amusement to patrons for remuneration, including but not limited to arcades, billiard and pool halls, bowling alleys, cinemas, miniature golf, and movie theaters, but specifically excludes nightclubs and gaming facilities such as video lottery terminals, slot machines, or teletheatre outlets.

Environmentally Sensitive Area means an area of ecological significance that has, or with restoration or enhancement could have, natural features which contribute to the retention and/or creation of wildlife habitat, soil stability, water retention or recharge, vegetative cover, or similar vital ecological functions. Environmentally sensitive areas range in size from small patches to extensive landscape features, and can include rare or common habitats, plants, and animals.

Farm Stand means a building or structure used for the sale of crops and farm products grown or produced on-site.

Farmer's Market means a market for the sale of locally produced goods typically produced on farms, with multiple vendors, operated in a fixed location on a periodic basis. This use includes but is not limited to the sale of arts and crafts and mobile vending, but specifically excludes the sale of farm machinery, implements, and tools other than gardening supplies.

Fence means a vertical structure used as a physical barrier or enclosure, or for screening purposes, including any moveable components such as a gate or door.

See **Section 7.4** for additional fence regulations.

Fleet Services Facility means premises used to dispatch, store, repair, clean, and otherwise maintain three or more commercial vehicles used for the transport of people, goods, or services, but specifically excludes the production, display, sale, or rental of such vehicles. Typical uses include but are not limited to buses, couriers, limousines, taxis, or roadside assistance vehicles.

Floor Area means the sum of all horizontal area with a clear ceiling height of 1.8 metres or more for each storey within a building measured to the interior face of exterior walls.

Floor Area Ratio (FAR) means the figure obtained when the gross floor area of a lot is divided by the lot area.

See **Section 5.4.1** for additional floor area ratio regulations.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Floor Area, Gross (GFA) means the sum of all horizontal area with a clear ceiling height of 1.8 metres or more for each storey of all buildings on a lot, measured from the outside face of the exterior walls, excluding enclosed areas used to accommodate required parking areas and any associated ramps used for vehicular access/egress.

Food Services means premises used for the preparation, service, and sale of food and beverages to the public. Typical uses include but are not limited to licensed restaurants, brewpubs, banquet facilities, cafes, and take-out restaurants.

Gas Station means premises used for the selling and dispensing of vehicular fuels, lubricants, electricity, and automotive parts and accessories, and may include a car wash or the sale of food, tobacco, pharmaceuticals, periodicals, or other similar convenience items.

Grade, Finished means the elevation of the ground following construction or land altering activities.

Grade, Natural means the elevation of the ground surface in its natural state, prior to the commencement of any alteration or development, or on sloping sites, the plane angles prior to the commencement of any alteration or development. Where land alteration has occurred, natural grade is determined using historical records or interpolation based on surrounding natural grades.

Greenway means a linear open space, often established along a highway or adjacent to existing natural features, that is 6.0 metres or more in width and restricted to pedestrian and cyclist use or used for stormwater retention and detention pond maintenance access.

Health Services means the provision of physical or mental health services, on an out-patient basis, which may be of a preventative, diagnostic, treatment, therapeutic, rehabilitative, or counselling nature. Typical uses include but are not limited to medical and dental offices, chiropractors, massage therapists, acupuncture clinics, reflexology, health clinics, and counselling services.

Height means the maximum vertical distance between the highest point of a structure or building and the lesser of natural grade or finished grade.

See **Section 5.3.1** and **Figure 5-1** for additional height regulations.

Highway means a highway under the *Land Title Act* that affords the principal access to abutting properties, including a thoroughfare, street, lane, trail, avenue, parkway, highway, road, viaduct, alley, bridge, trestle way, or other public right of way which is ordinarily used for vehicular traffic, parking, and pedestrians, and is located on publicly owned lands.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Home Occupation means the use of a portion of a dwelling unit or accessory building, by a resident of the premises, to operate a business.

See **Section 6.5** for additional home occupation regulations.

Impervious Surface means a surface which either prevents or impedes the entry of water into the soil mantle or causes water to run off the surface in greater quantities or at a rate of flow greater than the rate of flow present under natural conditions prior to development. Such surfaces include but are not limited to concrete, asphalt, and pavers.

Industrial, Heavy means the assembly, fabrication, manufacturing, processing, storage, and testing of materials or products predominantly from extracted, bulk, or raw materials, including the processing of animal products and byproducts and processes using hazardous materials or processes which may create hazardous or commonly recognized offensive conditions, as well as the collection, demolition, dismantlement, storage, salvage, recycling, or sale of waste materials including furniture, scrap metal, vehicles, machinery, and other discarded goods.

Industrial, Light means the assembly, fabrication, manufacturing, repair, servicing, maintenance, and testing of goods or materials where carried out wholly within an enclosed building or structure, including processes using hazardous materials, or processes that may create hazardous or commonly recognized offensive conditions, and may include the sale of such goods or materials but specifically excludes the storage, processing, or handling of hazardous waste.

Kennel Facility means premises used for the care, training, and overnight boarding of domesticated animals for remuneration, but specifically excludes livestock.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Landscape Area means the horizontal area of any yard abutting a highway that must be landscaped.




Figure 4-2. Landscape Area

See **Section 7.2** for landscape area requirements.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Landscape Screen means a continuous visual barrier consisting of natural vegetation, trees, shrubs, wooden or otherwise solid fencing, or a combination of those elements, serving to effectively screen the area that it encloses.

Landscaping means any combination of landscape features designed to enhance the visual appearance of a lot, including soil-based landscape elements, decorative paving, walkways, fencing, patios, and other ornamental features used to beautify or screen the appearance of all or a portion of a lot, but specifically excludes enclosed structures or buildings.

Lane means a highway 7.0 metres or less in width that provides rear or side yard access to abutting lots, or any other public highway that is otherwise undesignated.

Licensed Premises means premises licensed pursuant to the *Liquor Control and Licensing Act* to serve alcoholic beverages to the public, where such premises may also serve food and non-alcoholic beverages and provide forms of live entertainment. Typical uses include but are not limited to bars, lounges, and taprooms, but specifically excludes nightclubs, cabarets, discotheques, or other such premises.

Loading Space means an on-site area reserved for temporary vehicular parking for the purpose of loading or unloading goods and materials.

Lot means a separate and distinct parcel of land that is legally defined by a recorded subdivision plan or description of land registered in the Provincial Land Title Office.

Lot Area means the total horizontal area within the lot line of a lot. In the case of a panhandle lot, the access strip shall be excluded from the calculation of total lot area for the purpose of determining compliance with a minimum lot area requirement of this Bylaw.

Lot Coverage means the total horizontal area of a lot that is built upon, expressed as a percentage of lot area.

See **Section 5.4.2** for additional lot coverage regulations.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Lot Line means any line that forms the legally defined boundary of a lot.




Figure 4-3. Lot Lines

Lot Line, Corner Cut-Off means a lot line that is common to a lot and the intersection of two highways.

Lot Line, Exterior Side means a lot line abutting a highway other than a lane, which is not the front lot line or corner cut-off lot line.


Lot Line, Front means the lot line that is common to a lot and an abutting highway, other than a lane. Where two or more lot lines abut a highway, the shortest line, excluding the corner cut-off lot line, shall be deemed to be the front lot line. Where a lot does not abut a highway, the lot line from which common vehicle access is provided shall be considered the front lot line.

Lot Line, Rear means the lot line that is opposite to and most distant from the front lot line, or, where there is no such rear lot lines, the point of intersection of any lot lines other than the front lot line that is opposite to and most distant from the front lot line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Lot Line, Side means any lot line abutting a lane or between two or more lots other than the front, rear, corner cut-off, or exterior side lot lines.

Lot Width means the average horizontal distance between the side lot lines of a lot, measured at both the front and rear lot lines.



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Lot, Panhandle means a lot that has its primary legal access from a highway through a narrow strip of land, referred to as the access strip, which is an integral part of the lot.





Figure 4-5. Panhandle Lot

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Manoeuvring Aisle means a pathway designated for use by vehicular traffic, within a parking lot or similar area, for the purpose of accessing individual parking and loading spaces.





Marina means premises containing docking or mooring facilities where boats and other water vessels and their accessories are berthed, stored, serviced, repaired, constructed, or kept for sale or for rent, including uses associated with the primary marina operation such as a marine sani-dump, a marine fueling facility, marine equipment rentals, and retail sales.

Mobile Home means a dwelling unit built in a factory environment that is constructed to the CAN/CSA Z-240 (Mobile Home) standard, but specifically excludes recreational vehicles.

Mobile Vending means the sale of food or beverage from a mobile, non-permanent, and moveable apparatus such as a vehicle, trailer, or cart.

Moorage Facility means a structure, whether floating or affixed to piles, which does not impede the flow of water or the littoral transport of beach materials, intended to be used to secure a boat or other water vessel by means of cables, anchors, or other such contrivances, but specifically excludes storage sheds, lockers and repair facilities.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Natural Boundary means, as established by a British Columbia Land Surveyor, the visible highwater mark of any body of water where the presence and action of the water are so common and usual, and so long continued in all ordinary years, as to mark upon the soil of the bed of the body of water a character distinct from that of the banks, in vegetation, as well as in the nature of the soil itself.

Park means land used or intended to be used for passive outdoor recreation by the public or for the protection of environmentally sensitive or ecologically significant areas.

Parking Area means the area of a lot used to accommodate parking spaces and associated manoeuvring aisles.

Parking Lot means any lot or part of a lot used to temporarily park more than five vehicles, inclusive of any associated driveways, manoeuvring aisles, or ramps.

Parking Space means a designated area intended to be used to park one vehicle, exclusive of any driveways, manoeuvring aisles, or ramps.

Parking, Barrier-Free means parking spaces designated for use by persons with disabilities.

Parking, Electrical Vehicle (EV) means parking spaces designated for use by electric vehicles.

Parking, EV-Prepared means a parking space equipped with the necessary conductors, connectors, devices, apparatuses, fittings, and electrical supply to facilitate Level 2 electrical vehicle charging in accordance with SAE International's J1772 Standard.

Parking, Long-Term Bicycle means bicycle parking specifically provided and equipped for use by cyclists who typically stay at a site for more than two consecutive hours; such facilities are easy to access for a range of users, are located in a secured or controlled area, and provide protection from inclement weather.

Parking, Short-Term Bicycle means bicycle parking specifically provided and equipped for use by cyclists who typically stay at a site for less than two consecutive hours; such facilities are readily visible and accessible for a range of users and are located adjacent to the main entrance of the premises they serve.

Parking, Tandem means two parking spaces, one behind the other, with a common or shared point of access to a manoeuvring aisle, driveway, lane, or highway.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Personal Services means the provision of services related to the care and appearance of the body or the cleaning and repair of personal effects, including the sale of goods that are associated with the primary personal service operation. Typical uses include but are not limited to barber shops, hairdressers, tattoo parlours, manicurists, estheticians, tailors, shoe repair shops, dry cleaning establishments, and laundromats, but specifically excludes health services.

Plant Nursery means premises used for the growing, harvesting, display, and wholesale or retail sale of plants, trees, sod, and similar plant materials, including the sale of goods associated with the primary nursery operation, but specifically excludes the production or sale of cannabis products.

Principal means the main or primary use of land, buildings, or structures on a lot.

Production Facility, Alcohol means premises licensed under the *Liquor Control and Licensing Act* to produce, package, store, and distribute wine, beer, or spirits, and may include retail sales, tours, tastings, or the service of food and beverages.

Production Facility, Cannabis means premises licensed under the *Cannabis Act* to grow, process, test, package, store, distribute, and destroy cannabis or cannabis-related products, but specifically excludes cannabis retail.

Professional Services, Internal-Facing means the provision of technical, management, administrative, consulting, or financial services which do not include the servicing and repair of goods, the manufacturing or handling of a product, or on-site retail sales, and where the provision of such services could function without directly servicing clients or customers entering the premises from the street. Typical uses include but are not limited to the offices of lawyers, accountants, architects, technology firms, planners, clerical, and secretarial agencies, but specifically excludes health services, personal services, or public-facing professional services.

Professional Services, Public-Facing means the provision of technical, management, administrative, or financial services which may include supplemental functions such as the servicing and repair of goods, the manufacturing or handling of a product, or on-site retail sales, and where the provision of such services functions by directly servicing clients and customers who enter the premises from the street and are accepted within a reception area. Typical uses include but are not limited to the offices of travel agents, real estate and insurance providers, financial institutions, household repair services, funeral services, and business support services, but specifically excludes health services, personal services, or internal-facing professional services.

Recreation Facilities, Indoor means indoor facilities used or intended to be used for recreational, cultural, or community activities, including but not limited to arenas, gymnasiums, swimming pools, ice rinks, rock climbing facilities, dance, fitness, and mixed martial arts studios, and indoor athletic fields and sport courts.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Recreation Facilities, Outdoor means facilities used or intended to be used for recreational, cultural, or community activities conducted outdoors, including but not limited to bandshells, amphitheatres, playgrounds, athletic fields and sport courts, swimming pools, and field houses, but specifically excludes campgrounds.

Recycling Facility means premises used to collect, temporarily store, and distribute recyclable materials pursuant to the Environmental Management Act, where such activities are carried out wholly within an enclosed building or structure. This use specifically excludes outdoor storage.

Retail, Cannabis means premises licensed under the *Cannabis Act* for dispensing, selling, or distributing cannabis or cannabis-related products, but specifically excludes a cannabis production facility.

Retail, Liquor means premises licensed under the *Liquor Control and Licensing Act* to sell alcohol or alcohol-related products, but specifically excludes an alcohol production facility.

Retail Sales means the provision of goods, merchandise, and other materials for sale to the public, including uses associated with the primary retail operation such as on-site storage and/or outdoor sales. Typical uses include but are not limited to grocery, hardware, pharmaceutical, clothing, appliance, thrift, and used-goods stores, but specifically excludes gas stations, light automotive and equipment services, wholesale services, cannabis retail, and liquor retail.

Retaining Wall means a structure greater than 1.2 metres in height used to support, stabilize, and/or restrain existing earth or imported fill materials as a result of differences in grade.

Secondary means clearly in conjunction with and second to a principal use on the same lot.

Secondary Suite means a self-contained dwelling unit located within, and secondary to, a principal building or portion of a building pursuant to the British Columbia Building Code.

Setback means the shortest horizontal distance between a building or structure and a lot line.

See Section 5.3.2 for additional setback regulations.

Shipping Container means a non-combustible, portable unit used for the storage or transportation of goods, and includes sea cans and other such cargo containers.

Sleeping Unit means one or more rooms used or intended to be used, on either a temporary or permanent basis, for living and sleeping, but specifically excludes cooking facilities unless otherwise specified.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Soil Volume means the volume of growing medium material required to support plant growth, as calculated to include any continuous growing medium reachable by a plant's roots to a minimum depth of 1.0 metre.

Soil-Based Landscape Elements means any combination of horticultural elements requiring growing medium, including natural grasses, ground covers such as perennials and natural turf, shrubs, and trees. Soil-based landscape elements do not include landscaped areas without growing medium and plant materials or which are predominately comprised of rock, artificial turf, rubberized surfacing, or other such hard surface treatments.

Storage Facility, Indoor means a building or group of buildings comprising lockers available for rent, used or intended to be used to store commercial, industrial, and household goods and materials of a non-hazardous nature.

Storage Facility, Warehouse means a building or group of buildings, used or intended to be used to store commercial or industrial goods and materials of a non-hazardous nature.

Storage, Outdoor means the storage of equipment, goods, materials, and merchandise in the open air where such storage does not involve the construction of permanent structures or the material alteration of the existing state of the land.

Storey means the portion of a building between the top of any floor and the top of the floor next above it, and if there is no floor above it, the portion between the top of such floor and the ceiling above it. Any portion of a building having its ceiling 0.6 metres or less above finished grade will not be counted as a storey.

Structure means anything that is constructed, placed, erected, supported by, or sunk into land or water, but specifically excludes areas of hard surfacing such as concrete, brick or unit pavers, turfstone, asphalt, or similar materials.

Swimming Pool means a structure exceeding 0.6 metres in depth, used or intended to be used for swimming, bathing, or wading.

Telecommunication Module means terminals, devices, cables, and other related equipment used for the transmission, emission, reception, or exchange of information by electronic means.

Town means the Town of Comox.

Utilities means the provision of utilities for public consumption, benefit, or convenience, including water treatment, wastewater collection or treatment, stormwater collection or detention, irrigation, solid waste management, district heat, electric power, natural gas, and telecommunication modules.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Veterinary Services, Major means premises licensed as required under the *Veterinarians Act* to provide preventative, diagnostic, treatment, therapeutic, rehabilitative, medical, or surgical care to animals, which may include indoor or outdoor shelter facilities for animals receiving overnight medical care but specifically excludes a kennel.

Veterinary Services, Minor means premises used to provide preventative, diagnostic, treatment, therapeutic, rehabilitative, medical, or surgical care to animals, where such services are carried out wholly within an enclosed building or structure which may include shelter facilities for animals receiving overnight medical care. This use also includes the grooming, training, and daytime care of animals, but specifically excludes an animal shelter or kennel.

Watercraft and Equipment Services means the provision of services associated with new or used watercraft; boats, yachts, sailboats, canoes, kayaks, and similar marine vessels, including but not limited to retail sales, rental, servicing, washing, installation, detailing, painting, and repair, as well as the sale, installation, or servicing of related parts and accessories that are associated with the primary watercraft and equipment service.

Watercourse means any natural or man-made depression with visible banks, which contains water at some time, and includes any lake, river, stream, creek, spring, ravine, swamp, gulch, coulee, wetland, retention/detention pond, or surface source of water, whether containing fish or not, including intermittent streams and drainage works.

Wholesale Services means premises used for the storage, sale, and distribution of goods, commodities, and merchandise to retail distributors, other wholesale distributors, or industrial, commercial, institutional, and professional business users.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Yard means the area on a lot between a lot line and the nearest wall or supporting member of a building or structure, extending across the full width of the lot in the case of a front or rear yard, and the full width of the building face in the case of a side yard.

REAR LOT LINE MINIMUM SETBACK AREA **REAR YARD EXTERIOR EXTERIOR SIDE LOT LINE** BUILDING SIDE YARD SIDE YARD MINIMUM SETBACK AREA FRONT YARD MINIMUM SETBACK AREA FRONT LOT LINE STREET

Figure 4-7. Yards

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 5 | GENERAL REGULATIONS

5.1 Uses Permitted in All Zones

- (1) The following uses, buildings, and structures are permitted in all zones:
 - (a) parks, open space, community gardens, multi-use trails, and ecological reserves;
 - (b) traffic control devices, free-standing lighting poles, and flag poles; and
 - (c) utilities.

5.2 Uses Prohibited in All Zones

- (1) The following uses are prohibited in all zones:
 - (a) data centres;
 - (b) drive-through services; and
 - (c) industrial, heavy.

5.3 Development Standards

5.3.1 Height

- (1) Where a zone establishes maximum height regulations, no building or structure within that zone shall exceed the height specified.
- (2) For the purposes of calculating height, grade shall be measured by averaging the elevation at any point at which the corner of a building or structure comes into contact with the surface of a lot, excluding any artificial mounds of earth or rocks placed at or near the face the building or structure, and excluding the minimum window well width and depth required by the British Columbia Building Code (see **Figure 5-1**).

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

GRADE = A + B + C + D + E + F NUMBER OF POINTS

Figure 5-1. Calculating Grade

(3) Despite **Section 5.3.1(1)**, the following features may exceed the maximum height regulations of this Bylaw as prescribed in **Table 5.3.1(4)**.

	Table 5.3.1(4) Exceptions to Maximum Height Regulations				
	Feature(s)	Maximum Height Allowance			
(a)	Chimneys, belfries, spires, flagpoles and other such features	150% of the applicable zone-specific height maximum			
(b)	Mechanical, electrical, and structural features of a building, provided such features comprise ≤ 15% of the building's total roof area and are screened from view	3.0 metres above the maximum allowable height of the building or structure			
(c)	Telecommunication modules, including supporting structures	unlimited ¹			

CONDITIONS [Table 5.3.1(4)]:

- Telecommunication modules shall be exempt from the maximum height regulations of this Bylaw, provided they comply with all applicable federal requirements for radiocommunication and broadcasting antenna systems.
- (4) Despite **Section 5.3.1**, in no instance shall the height of any building, structure, or associated feature, including temporary assemblies for construction purposes such as cranes, contravene the *Comox Airport Zoning Regulations*.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

5.3.2 Setbacks

- (1) Where a zone establishes minimum setback regulations, no building or structure within that zone shall be placed, erected, constructed, sunk into, re-constructed, altered, or enlarged nearer to the lot line than the distance specified.
- (2) For certainty, all portions of a building or structure, whether located above or below finished grade, shall be subject to all setbacks for the zone in which it is located.
- (3) Despite **Section 5.3.2(1)** and **Section 5.3.2(2)**, the following structure may be located anywhere on a lot:
 - (a) arbours, trellises, pergolas, and other such landscaping features;
 - (b) fences and retaining walls; and
 - (c) playground equipment.
 - (4) Despite **Section 5.3.2(1)** and **Section 5.3.2(2)**, specific architectural and structural features may project into a required setback as prescribed in **Table 5.3.2(5)**.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

	Table 5.3.2(5) Allowable Projections into Setbacks = projection not permitted					
Fea	iture(s)	Required Setback	Low- Density Residential Zones	Multi-Unit Residential Zones	All Other Zones ¹	
(a)	PRINCIPAL BUILDIN	IGS				
(i) Awnings, bay		Front			1.75	
	windows, canopies, cornices, eaves,	Rear			1.75 m	
	gutter, pilasters, sills,	Interior side	0.6	i m	0.6 m	
	sunshades, and other such architectural features	Exterior side			1.75 m	
		Front			1.75 m	
(ii)	Balconies, porches,	Rear	1.0 m	1.0 m		
	and verandas	Interior side		1.0 111	0.6 m	
		Exterior side			1.75 m	
(iii)	Exterior stairs, steps,	Front				
(111)	landings, ramps, and	Rear	no setback required			
	decks ≤ 0.6 metres above finished grade	Interior side		110 Setback I	equired	
	above iiiisiied grade	Exterior side				
(iv)	Exterior stairs, steps,	Front			1.75 m	
(17)	landings, ramps, and	Rear			1.7 3 111	
	decks > 0.6 metres above finished grade	Interior side		_ -	0.6 m	
	above iiiiisiieu grade	Exterior side			1.75m	
(b)	SECONDARY BUILD	INGS				
(i)	Eaves and gutters	All setbacks		0.6 m		

CONDITIONS [Table 5.3.2(5)]:

Where a **Comprehensive Development** zone prescribes zone-specific allowable projections into setbacks, the allowable projections into setbacks prescribed within **Table 5.3.2(5)** shall not apply.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(6) New subdivisions shall be required to provide an 8.0 metre setback, to act as a landscape buffer, from any lot line abutting a lot in the Agricultural Land Reserve (see **Figure 5-2**).




Figure 5-2. Landscape Buffer Requirement for New Lots Abutting ALR Lands

5.3.3 Future Road Dedication Setbacks

- (1) To accommodate future road dedication, the required minimum setbacks prescribed within this Bylaw shall be increased by a distance equal to the width of road dedication that would be required to establish the full required width of the abutting highway in accordance with the Town's Subdivision and Development Servicing Bylaw.
- (2) For the purposes of calculating floor area ratio, a required future road dedication setback area, as required by **Section 5.3.3(1)**, may be included in the total lot area used to determine the level of density permitted on a lot.
 - (a) For clarity, any portion of a lot to be dedicated or transferred to the Town in accordance with the *Subdivision and Development Servicing Bylaw* may be included in the total lot area used to determine the level of density permitted on a lot.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

5.4 Density

5.4.1 Floor Area Ratio

- (1) For the purposes of calculating floor area ratio, the following shall be excluded from the measurement of gross floor area:
 - (b) shared amenity areas and other common utility spaces, including storage, laundry, waste management, and end-of-trip facilities;
 - (c) areas used to house a building's mechanical and electrical systems;
 - (d) basements; and
 - (e) shared corridors, stairs, and elevator shafts.

5.4.2 Lot Coverage

- (1) The following shall be excluded from the calculation of lot coverage:
 - (a) one accessory building having less than 10.0 square metres of floor area;
 - (b) arbours, trellises, pergolas, and other such landscaping features;
 - (c) awnings, bay windows, canopies, cornices, eaves, gutters, pilasters, sills, sunshades, and other such architectural features;
 - (d) fences, retaining walls, and landscape screens;
 - (e) uncovered and/or unenclosed balconies, decks, porches, and verandas;
 - (f) uncovered courtyards, patios, sidewalks, driveways, parking areas, and other such hard surfacing;
 - (g) uncovered stairs and ramps; and
 - (h) uncovered swimming pools.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

5.5 Visual Clearance at Intersections

(1) On any corner lot, no building, structure, fence, retaining wall, landscaping, screening, or other such object shall be placed, planted, erected, sunk into, or constructed to exceed a maximum height of 1.0 metre within the triangular space formed by measuring 6.0 metres along the edge of the two adjoining property boundaries and joining these points on the diagonal (see **Figure 5-3**).




Figure 5-3. Required Sight Triangles

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 6 | USE-SPECIFIC REGULATIONS

6.1 Accessory Buildings and Structures

- (1) Where expressly permitted in a zone, an accessory building or structure shall only be permitted where a principal use has already been established, or is in the process of being established, on the same lot.
- (2) Despite **Section 6.1(1)**, one accessory building may be located on a lot where a principal use has not yet been established or is not yet in the process of being established, provided gross floor area of the accessory building does not exceed 10.0 square metres.
- (3) An accessory building or structure which is connected to a principal or secondary building via breezeway shall not be considered to comprise part of the principal or secondary building.
- (4) In no instance shall a building containing a dwelling unit be considered an accessory building.

6.2 Amenity Areas for Dwelling Units

י	Table 6.2(1) Private Amenity Area Regulations		
Criteria	Requirement		
	Development Comprising < 10 Dwelling Units: 10.0 square metres per dwelling unit ¹		
(a) Minimum Private Amenity Area	Development Comprising ≥ 10 Dwelling Units: 3.5 contiguous square metres per dwelling unit		
Amenity Area	No dimension of a contiguous private amenity area shall be less than 1.25 metres.		
CONDITIONS [Table 6.2	ONDITIONS [Table 6.2(1)]		
No private amenity	ty area shall be smaller than 5.0 square metres of contiguous area.		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

1	Table 6.2(2) Shared Amenity Area Regulations		
Criteria	Outdoor Amenities	Indoor Amenities	
(a) Minimum Shared Amenity Area	< 10 Dwelling Units: n/a ≥ 10 Dwelling Units: 3.0 square metres per dwelling unit or 70.0 square metres per lot, whichever is greater	< 50 Dwelling Units: n/a ≥ 50 Dwelling Units: 1.0 square metre per dwelling unit	
	No shared amenity area shall be smaller than 35.0 square metres of contiguous area.	metre per awening unit	
	No shared amenity area shall be located within a front or exterior side yard.	Shared amenity areas shall be	
(b) Location	Required amenity areas may be provided in the form of a rooftop patio.	located within an accessible area of the building.	

6.3 Caretaker Suites

- (1) Where expressly permitted in a zone, a caretaker suite shall:
 - (f) have a maximum floor area of 90.0 square metres;
 - (g) be integrated within a principal building and shall not be connected to such building via breezeway, garage, or other such unconditioned space;
 - (h) be located above or to the rear of the principal use associated with the caretaker suite; and
 - (i) have its own separate entrance.
- (2) Despite any other provision in this Bylaw, a maximum of one caretaker suite shall be permitted per lot.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

6.4 Coach Houses

Table 6.4(1) Development Regulations for Coach Houses		
Criteria		Requirement
(a) Maximum GFA		100.0 m ²
(b) Mayimuma Haight	(i) single-storey coach house	5.5 m
(b) Maximum Height	(ii) two-storey coach house	7.5 m
(c) Minimum Front Setb	ack	3.0 m
(d) Minimum Rear Setback	(i) single-storey coach house	1.5 m
	(ii) two-storey coach house	4.0 m
(e) Minimum Side Setba	ck	1.5 m
(f) Minimum Exterior	(i) single-storey coach house	3.0 m
Side Setback	(ii) two-storey coach house	4.5 m
(g) Minimum Corner Cu	t-Off Setback	1.0 m
(h) Minimum Setback –	lot lines fronting a garage or carport	6.0 m

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

6.5 Home Occupations

	Table 6.5(1) Home Occupation Classifications	
Classification		Description
Minor		Minor home occupations are intended to be operated solely within a dwelling unit or accessory building by the resident of the property.
Major		Major home occupations are intended to be operated within a dwelling unit or accessory building and can employ one on-site, non-resident employee.
	Bed and Breakfast	Bed and Breakfast Accommodation home occupations are operated solely within a principal dwelling unit and are intended to provide temporary accommodation to guests for a period of less than 90 consecutive days.
Accommodation	Vacation Rental	Vacation Rental Accommodation home occupations are intended to be operated within a principal dwelling unit, secondary suite, or coach house to provide temporary accommodation to guests in accordance with provincial short-term rental regulation.

Table 6.5(2) Home Occupation Regulations – Minor and Major			
Criteria	Minor	Major	
(a) Licencing Requirements	All home occupations must have a val	id business licence issued by the	
(b) Location	The home occupation shall be conducted entirely within a dwelling unit or accessory building, except where agriculture or urban agriculture is the primary purpose of the home occupation.		
(c) Marian ya Flagy Araa	30% of the subject dwelling unit's floor area, up to a maximum of 40.0 square metres.		
(c) Maximum Floor Area	Where a home occupation is conducted within an accessory building, the maximum floor area is 60.0 square metres.		
(d) Use of Outdoor Spaces	Home occupations shall be conducted entirely within an enclosed building; the outside use of a side or rear yard shall be permitted for care facility home occupations only, subject to the screening requirements prescribed in Section 7 of this Bylaw.		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 6.5(2) Home Occupation Regulations – Minor and Major			
Criteria	Minor Major		
(e) Operator Restrictions	The home occupation must be operat residence is the dwelling unit associat		
(f) Employee Restrictions ¹	No non-resident employees.	A maximum of one non-resident employee.	
(g) Client / Guest Restrictions	One client at any given time with the creceiving care in a care facility. ²	exception of children or adults	
(h) Nuisance Restrictions	No nuisance from noise, vibration, sm electrical or radio disturbance shall be At all times, the privacy and enjoymen preserved and in no instance shall the interfere with the amenities of the sur	produced by any home occupation. It of adjacent properties shall be home occupation adversely affect or	
(i) Use Restrictions	In no instance shall a home occupation involve a light industrial, heavy industrial, light automotive and equipment services, , heavy automotive and equipment services, or watercraft and equipment services use.		
(j) Storage Restrictions	Outdoor storage or use of shipping containers is not permitted.		
(k) Commercial Vehicle	On-site parking of commercial vehicle vehicle weight is not permitted.	s larger than 5,500 kilograms gross	
Restrictions	No home occupation shall cause goods or materials to be delivered to or from the dwelling associated with the home occupation in such a quantity as to require regular or frequent delivery by a commercial vehicle.		
(l) Retail Sale Restrictions	The display and retail sale of goods shall be limited to goods that were produced or manufactured on-site incidentally to the home occupation, or goods produced or manufactured off-site which are directly related to the home occupation. In no instance shall the display and sale of a good be the primary purpose of any home occupation.		
(m) Other Restrictions	A food catering business operating lawfully within a dwelling may establish additional cooking facilities, provided the installation of such facilities is required by the Health Authority. Should the home occupation cease, the additional cooking facilities must be removed and are in no instance to be used to establish an additional dwelling.		

CONDITIONS [Table 6.5(2)]:

Employee restrictions are applicable only to those working in a home occupation conducted within the associated dwelling unit or accessory building. There is no limit on the number of off-site, non-resident employees.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 6.5(2) Home Occupation Regulations – Minor and Major Criteria Minor Major

There shall be no limit to the number of children or adults permitted at any given time for a child care facility or community care facility home occupation, respectively, provided such facility holds a valid licence from the Health Authority.

	Accommodations	
Criteria	Accomn	nodation
Circula	Bed and Breakfast	Vacation Rental
(a) Licencing Requirements	All home occupationss must have a various.	alid business licence issued by the
	The home occupation shall only be peone principal dwelling unit on a lot.	ermitted where there is no more than
(b) Location	The home occupation shall be conducted entirely within a principal	The home occupation shall be conducted within a dwelling unit on the same lot as the dwelling unit in which the resident operator resides.
	dwelling unit.	No more than one dwelling unit per lot shall be used for a vacation rental accommodation home occupation.
(c) Operator Restrictions	The home occupation must be operated by a resident property owner whose principal residence is the dwelling unit associated with the home occupation.	The home occupation must be operated by a resident property owner whose principal residence is on the same lot as the dwelling unit associated with the home occupation.
(d) Employee Restrictions ¹	No non-resident employees.	
(e) Client / Guest Restrictions	Two guests per sleeping unit, up to a maximum of three sleeping units.	Six guests at any given time.
(f) Nuisance Restrictions	No nuisance from noise, vibration, smoke, dust, odours, heat, glare, or electrical or radio disturbance shall be produced by any home occupation, and, at all times, the privacy and enjoyment of adjacent properties shall be	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 6.5(3) Home Occupation Regulations – Bed and Breakfast and Vacation Rental Accommodations

Cuitaviia	Accommodation		
Criteria	Bed and Breakfast	Vacation Rental	
	preserved and in no instance shall the home occupation adversely affect or interfere with the amenities of the surrounding neighbourhood.		
(g) Storage Restrictions	No home occupation shall cause goods or materials to be delivered to or from the dwelling associated with the home occupation in such a quantity as to require regular or frequent delivery by a commercial vehicle.		
(h) Parking Restrictions	On-site parking of recreational vehicles is not permitted.		
(i) Other Restrictions	No accommodation home occupation shall be operated on the same lot as a care facility.		

CONDITIONS [Table 6.5(3)]:

Employee restrictions are applicable only to those working in a home occupation conducted within the associated dwelling unit or accessory building. There is no limit on the number of offsite, non-resident employees.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

6.6 Secondary Suites

- (1) Where expressly permitted in a zone, a secondary suite shall:
 - (a) be incidental to, and integrated with, a principal dwelling unit, and shall not be connected to the principal dwelling unit via breezeway, garage, or other such unconditioned space; and
 - (b) not be located in a coach house;
 - (c) have its own separate entrance.
- (2) A maximum of one secondary suite shall be permitted per principal dwelling unit.
- (3) No secondary suite shall be subdivided from the principal dwelling unit under the *Strata Property Act*.

6.7 Urban Agriculture

Table 6.7(1) Urban Agriculture Regulations		
Criteria	Small-Scale Production of Food and Farm Products	Keeping of Chickens
(a) Minimum Lot Size	n/a 1,500.0 m ²	
(b) Siting Restrictions	n/a	The keeping of chickens shall only be permitted in a rear yard.
	The maximum height of an accessory building or structure used for urban agriculture is 2.5 metres.	
	Buildings and structures used for urban agriculture shall only be permitted in a rear yard. 1	
(c) Accessory Buildings and Structures	Buildings and structures used for urban agriculture shall conform to the setbacks for accessory buildings and structures in each zone.	Chicken coops shall be setback a minimum of 3.5 metres from a rear or interior side lot line, and a minimum of 4.0 metres from an exterior side lot line.
	Farm stands shall have maximum floor area of 3.0 square metres. Chicken coops shall be setback minimum of 1.0 metre from all dwelling units on the lot.	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 6.7(1) Urban Agriculture Regulations			
Criteria	riteria Small-Scale Production of Food and Farm Products Keeping of Chickens		
		Chicken coops shall have a maximum floor area of 5.0 square metres.	
(d) Composting	On-site composting shall be contained in a covered compost recepta not utilize any mechanized process, and shall consist only of plant m		
(d) Composting	Where opaque screening is provided, on-site compost receptacles may be located 0.0 metres from any lot line.		
(e) Food Processing Restrictions	Processing of food products produced on-site is prohibited unless in conjunction with an authorized home occupation. ²		
(f) Nuisance Restrictions	No nuisance from noise, vibration, smoke, dust, odours, vermin, or visual disturbance shall be produced by any urban agriculture activity, and, at all times, the privacy and enjoyment of adjacent properties shall be preserved and in no instance shall urban agriculture adversely affect or interfere with the amenities of the surrounding neighbourhood.		
(g) Retail Sale Restrictions	The display and retail sale of goods via farm stand shall be limited to crops or farm products produced on-site.	The sale of eggs shall be limited to eggs produced on-site.	
(h) Storage Restrictions	No outdoor storage shall be permitted.		
(i) Other Restrictions	n/a A maximum of six hens and zero roosters shall be permitted per lot.		

CONDITIONS [Table 6.7(1)]:

- One farm stand may be located within a required front or exterior side yard, provided it is setback a minimum of 1.0 metre from all lot lines.
- On-site slaughter of chickens is prohibited. Any deceased chickens shall be disposed of at an appropriate refuse disposal facility or through the services of a veterinarian.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 7 | LANDSCAPING AND SCREENING

7.1 General

- (1) All required landscaping and screening installations, including associated irrigation systems, shall meet or exceed the Canadian Landscape Standard (CLS).
- (2) All required landscaping and screening installations shall be regularly maintained by property owners to meet or exceed the Canadian Landscape Standard to ensure a healthy, neat, and orderly appearance throughout the year.
 - (a) Required landscaping maintenance for plant material shall include watering, mulching, pruning, fertilizing, liming, and tree support, as well as weed, pest, and disease control.
 - (b) Required landscaping maintenance for lawn and grass areas shall include mowing, trimming, edging, aeration, and repairs such as regrading, reseeding, resodding, as well as weed, pest, and disease control.
- (3) All required landscaping installations shall comply with the Town's Climate Resilient Landscaping Standards, current edition, for species recommendations and planting guidelines.

7.2 Landscaping Requirements

(1) The landscaping requirements prescribed in **Table 7.2(1)** and **Table 7.2(2)** are only applicable to development comprising one or more new dwelling units, including the demolition and replacement of one or more existing dwelling units.

T	Table 7.2(1) Landscaping Regulations – Trees		
Criteria	Low-Density Residential and Multi-Unit Residential Zones All Other Zones		
(a) Minimum Number of Trees ¹	 ≤ Three Dwelling Units: 1 tree per dwelling unit ≥ Four Dwelling Units: 1 tree per 15.0 linear metres of lot frontage 	1 tree per 15.0 linear metres of lot frontage	
	A minimum of one tree is required per lot.		
(b) Minimum Tree Size	Small Tree: expected mature canopy diameter of < 6.0 metres Medium Tree: expected mature canopy diameter of 6.0 - 10.0 metres		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 7.2(1) Landscaping Regulations – Trees			
Criteria Low-Density Residential and Multi-Unit Residential Zones All Other Zones		All Other Zones	
	Large Tree: expected mature can	opy diameter of > 10.0 metres	
(a) Minimous Trans	Medium Tree: 25%	of required trees ²	
(c) Minimum Tree Size Ratio	Large Tree: 50% of	f required trees ²	
Size Ratio	Where only one tree is required, such t	ree must be a large tree.	
	Small Tree	e: 4.0 cm	
(d) Minimum Davidon	Medium Tro	ee: 4.5 cm	
(d) Minimum Deciduous Tree Caliper	Large Tree	Large Tree: 5.0 cm	
nee canper	The minimum vertical distance betwee 1.5 metres for all deciduous trees.	n grade and the tree's lowest limb is	
(e) Minimum Coniferous Tree Height	1.4 m		
(f) Minimum Soil Volume Per Tree	35.0 m³		
(g) Tree Spacing	Minimum tree spacing shall be based on site requirements for sightlines, accessibility, and standard planting practices for the selected tree species.		
	Required trees shall be planted where other such objects will not interfere with	•	
(h) Overhead Interference	Where a required tree must be located from an overhead utility, such tree shal as being suitable for placement adjace Town's Climate Resilient Landscaping S	Il comprise a tree species identified nt to overhead utility lines in the	

CONDITIONS [Table 7.2(1)]:

- The minimum number of required trees shall be inclusive of any existing trees on the lot that are to be retained, provided such trees meet all other landscaping regulations.
- The minimum number of small trees shall be equal to the total number of required trees minus the required number of large and medium trees.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 7.2(2) Landscaping Regulations – All Other Requirements		
Criteria	All Zones	
(a) Required Landscape	Where a required minimum setback for a yard abutting a highway is greater than 0.0 metres and less than 3.0 metres, the required landscape area shall be equivalent to the minimum setback area.	
Areas	Where a required minimum setback for a yard abutting a highway is greater than 3.0 metres, the required landscape area shall be a minimum of 3.0 metres into the required setback.	
(b) Minimum Planting Requirements for Landscape Areas	75% of all landscape areas shall be planted with soil-based landscape elements. ¹	
(c) Minimum Planting Requirements for Tiered Retaining Walls	100% of the horizontal area between each tier of a retaining wall shall be planted with soil-based landscape elements.	
	Parking Areas that Accommodate < 14 Vehicles: n/a Parking Areas that Accommodate ≥ 14 Vehicles: a contiguous, 1.5 metre wide landscape buffer planted with soil-based landscape elements shall be provided between the parking area and any abutting highway(s)	
(d) Landscaping for	Landscape buffers shall be planted with a minimum of one medium or one large tree per 15.0 square metres of landscape buffer area. ²	
Parking Areas	The maximum number of consecutive parking spaces is 14. A landscape buffer or drive aisle shall separate the next 14 parking spaces.	
	Landscape buffers shall be clearly delineated as separate and in addition to required parking and loading spaces.	
	Landscape buffers shall be located such that loading and unloading vehicles can access the site without interference.	
(e) Irrigation	All landscaping shall be equipped with a permanent, fully automatic, lowwater requirement irrigation system. ³	
	Outdoor lighting of unenclosed parking areas and Employment -zoned lots shall not exceed a maximum height of 4.5 metres.	
(f) Outdoor Lighting	Outdoor lighting of all non-parking area and non- Employment -zoned lots shall not exceed a maximum height of 4.0 metres.	
	No flashing or blinking exterior lighting shall be permitted.	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 7.2(2) Landscaping Regulations – All Other Requirements				
Criteria	All Zones			
	All direct or ambient lighting shall have a DarkSky seal and be directed or shielded to ensure direct light rays do not shine beyond the boundaries of the lot.			

CONDITIONS [Table 7.2(2)]:

- Environmentally sensitive areas sited within the landscape area can be excluded from the total landscape area measurement used to calculate the minimum requirements for soil-based landscape elements.
- The minimum number of trees required within parking islands is in addition to the minimum number of trees required for all development.
- Areas of existing, undisturbed, native vegetation which are 100.0 square metres in area or larger and wholly or partially achieve the landscaping requirements, as well as areas specifically designed as xeriscape or with drought resistant native species may not require a permanent, fully automatic, low-water requirement irrigation system.

7.3 Landscape Screens

Table 7.3(1) Minimum Standards for Required Landscape Screens			
Туре	Minimum Height		
(a) Existing vegetation	1.5 m		
(b) Continuous row of native, drought-tolerant plants ¹	1.5 m		
(c) Solid, opaque fencing	1.8 m		

CONDITIONS [Table 7.3(1)]:

- Selection and installation of plant varieties shall consider the species recommendations and planting guidelines included in the Town's Climate Resilient Landscaping Standards.
- (2) Except where otherwise specified in this Bylaw, all required landscape screens shall be continuous except to accommodate access/egress to or from the screened area.
- (3) No required landscape screen in any zone shall be comprised of or contain barbed wire, razor wire, electrified wire, sheet metal, plywood, or chain link fencing.

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

Table 7.3(4) Landscape Screen Regulations					
	Subject Lot				
Criteria or Use	Multi-Unit Residential Zones	Light Industrial (E-3) Zone	All Other Zones		
(a) Screening Along Lot Lines Shared with Adjacent Lots	A landscape screen shall be provided along all lot lines abutting a lot in a Low-Density Residential or Multi- Unit Residential zone.	A landscape screen shall be provided along all lot lines abutting a lot in any other zone.	A landscape screen shall be provided along all lot lines abutting a lot in a Low-Density Residential or Multi- Unit Residential zone.		
(b) Utility Boxes and	A landscape screen shall be provided around all utility boxes and transformers. ²				
(b) Utility Boxes and Transformers 1	No landscape screen shall be located within 2.5 metres of the doors of a utility box or transformer or within 0.3 metres of any other portion of a utility box or transformer.				

CONDITIONS [Table 7.3(4)]:

- Screening requirements shall not apply to utility boxes and transformers which have been wrapped with a Town approved image by certified installers.
- Despite **Table 7.3(1)**, the minimum height of a landscape screen for a utility box or transformer shall be 1.2 metres.

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations		6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones		14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

7.4 Fences

- (1) Despite any other height regulation in this Bylaw, no fence shall exceed the maximum fence height regulations prescribed in **Table 7.4(3)**.
- (2) The height of a fence shall be determined by measuring the vertical distance between the highest point of the fence and finished grade, and, where such fence is constructed within 1.0 metre of the top of a retaining wall, shall include the height of such retaining wall (see **Figure 7-1**).




Figure 7-1. Fence Height

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations		6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones		14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 7.4(3) Fence Regulations					
Zone(s)	Maximum Height				
(a) Low-Density	(i) Front Yard	1.2 m			
Residential and Multi-Unit	(ii) Exterior Side Yard	1.2 Π			
Residential	(iii) All Other Yards	2.4 m ¹			
(b) All Other Zones	(i) All Yards	2.4 m ^{1,2}			

CONDITIONS [Table 7.4(3)]:

- The maximum height of a fence erected on a lot which abuts a neighbouring lot where the finished grade is higher than that of subject lot, is 3.0 metres, provided the fence does not protrude more than 2.0 metres above the finished grade of the neighbouring lot (see **Figure 7-1**).
- Where a **Comprehensive Development** zone prescribes zone-specific fence standards, such standards shall apply.
- (4) Except in the **DND Lands (DND)** zone, no fence shall be comprised of or contain barbed wire, razor wire, electrified wire, sheet metal, or plywood.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

7.5 Retaining Walls

- (1) The height of a retaining wall shall be determined by measuring the vertical distance between the highest point of the retaining wall and the natural grade immediately adjacent on the lower side.
- (2) Despite any other height regulation in this Bylaw:
 - (a) No retaining wall located within a required setback, including a tiered retaining wall, shall exceed 2.4 metres.
 - (b) No retaining wall shall be sited within 1.2 metres, measured horizontally, from another retaining wall (see **Figure 7-2**).




Figure 7-2. Retaining Walls

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

SECTION 8 | PARKING AND LOADING

8.1 General

- (1) Except as otherwise specified in this Bylaw, on-site parking and loading spaces shall be provided and maintained for any development, including new development, a change of use associated with an existing development, and the expansion of an existing development.
- (2) Parking spaces shall not be credited as loading spaces or vice versa.
- (3) No parking or loading space required by this Bylaw shall be used for access or egress, a driveway or other such manoeuvring aisle, commercial repair work, displays, or the sale or storage of goods of any kind.
- (4) No parking or loading spaces required by this Bylaw shall interfere with or obstruct any landscaping or screening installations required under **Section 7** of this Bylaw.

8.2 Location and Siting

- (1) Except as otherwise specified in this Bylaw, all required parking and loading spaces shall be located on the same lot as the use that they serve.
- (2) Despite **Section 8.2(1)**, standard or small vehicle parking spaces may be provided on a separate lot located within 120.0 metres of the use which they serve, provided the following conditions are met:
 - (a) the use requiring the parking spaces is not on a lot within a **Low-Density Residential** or **Multi-Unit Residential** zone;
 - (b) the use requiring the spaces is not residential or residential-related;
 - (c) parking lot is a permitted use on the separate lot where the parking spaces are proposed to be located; and
 - (d) pursuant to Section 219 of the *Land Title Act*, a restrictive covenant is registered on the title of the separate lot where the parking spaces are proposed to be located, outlining the provision of parking spaces in accordance with the requirements of this Bylaw.
- (3) All required parking and loading spaces shall have unobstructed access/egress to a highway via driveway, manoeuvring aisle, or lane.

	1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions	
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones		14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

- (4) No parking or loading space shall be located within 1.5 metres of any lot lines or highway.
- (5) In **Mixed-Use**, **Employment**, **Marine**, and **Park and Public Use** zones, no parking or loading area, including areas used for access and egress, shall be located within:
 - (a) an interior side yard abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone; or
 - (b) an exterior side yard.

8.3 Dimension and Design Standards


Table 8.3(1) Minimum Dimensions for Standard Parking Spaces						
Parking Angle	Width	Length	Depth to Curb	Height Clearance	Manoeuvring Aisle Width ¹	
0° (parallel parking)		7.0 m	2.6 m	2.2 m	3.6 m (one-way) ¹	
30°		5.5 m	5.0 m		3.6 m (one-way) ¹	
45°	2.6 m	5.5 m	5.7 m		3.9 m (one-way) ¹	
60°		5.5 m	6.0 m		4.8 m (one-way) ¹	
90°		5.5 m	5.5 m		7.0 m (two-way) 1,2	

CONDITIONS [Table 8.3(1)]:

- The maximum width of any manoeuvring aisle is 7.2 metres.
- Where parking spaces are provided in a single row, the minimum manoeuvring aisle width is 6.7 metres.

	1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones		11 – Mixed-Use Zones	12 – Employment Zones	
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

8-1. Parking Lot Configurations



- (2) Dimensional requirements for parking and loading spaces and associated manoeuvring aisles shall be clear of obstructions, including but not limited to columns, lot lines, curbs, landscape islands, walls, pipes, roof features, fences, and emergency exit areas. All parking or loading space measurements shall be taken from the inside of any adjacent obstructions.
 - (a) Where a parking or loading space abuts an obstruction, the width of such space must:
 - iv. be an additional 0.3 metres where there is an obstruction abutting just one side;
 - v. be an additional 0.5 metres where there is an obstruction abutting either side; and
 - vi. be an additional 0.8 metres wider where the parking space abuts a doorway.

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (3) Except in **Low-Density Residential** zones, every required parking and loading space, including areas used for access and egress, shall:
 - (a) have a durable, dust-free hard surface of concrete, asphalt, or semi-permeable material such as cobblestones, turf block, and honeycomb grid, constructed such that surface drainage is directed to an approved on- or off-site stormwater drainage system;
 - (b) not exceed a maximum grade of 8%;
 - (c) have fencing, curbs, or secured wheel stops to prevent vehicles from encroaching upon lot lines; and
 - (d) where there is no fencing or curb between a required parking or loading space and an abutting pedestrian walkway, sidewalk, or highway, a secured wheel stop that is 0.15 metres in height shall be installed 0.9 metres from the abutting pedestrian walkway, sidewalk, or highway (see **Figure 8-2**).




Figure 8-2. Wheel Stops

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (4) Every parking and loading area required to accommodate five or more vehicles, including areas used for access and egress, shall:
 - (a) clearly delineate individual parking spaces, loading spaces, barrier-free parking spaces, electric vehicle parking spaces, manoeuvring aisles, entrances, and exits with pavement markings, signage, or other physical means in accordance with the Manual of Uniform Traffic Control Devices for Canada (MUTCDC);
 - (b) be designed to allow forward access/egress directly to an abutting highway from the lot on which the parking or loading area is located; and
 - (c) be illuminated using DarkSky compliant lighting which is directed or shielded to ensure direct light rays do not shine beyond the boundaries of the lot.
- (5) No driveway shall exceed a maximum grade of 15%.

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development


8.4 Parking and Loading Requirements

- (1) Parking and loading spaces shall be provided in accordance with the number of parking and loading spaces for a specific use as specified in **Table 8.4.1(1)** and **Table 8.4.8(3)**.
 - (a) For the purposes of calculating parking and loading requirements, the following shall be excluded from the measurement of floor area:
 - i. shared amenity areas and other common utility spaces, including storage, laundry, waste management, and end-of-trip facilities;
 - ii. areas used to house a building's mechanical and electrical systems; and
 - iii. shared corridors, stairs, and elevator shafts.
 - (b) Parking and loading space requirements for non-residential uses, other than marina, in the **Downtown** (see **Map 8-1**) shall be reduced by 50%.
 - (c) Despite **Section 8.4(1)**, where a **Comprehensive Development** zone prescribes zone-specific parking and loading requirements, such standards shall apply.
- (2) Parking and loading spaces for secondary uses shall be provided in addition to the parking and loading spaces required for principal uses.
- (3) Where multiple uses are established on a single lot or a parking area collectively serves multiple uses established on a single lot, the total number of required parking and loading spaces shall be the sum of the parking and loading requirements for each use calculated separately.
- (4) Where a specific use is not listed, the parking and loading requirements applicable to the use which is most comparable in character and purpose shall apply.

See Section 3.4 for additional information on how to calculate parking and loading requirements.

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

12 – Employment Zones 16 – Comprehensive Development



- 57 -

11 - Mixed-Use Zones

15 – Special Use Zones

10 – Multi-Unit Residential Zones

14 – Park and Public Use Zones

9 – Low-Density Residential Zones

13 - Marine Zones

8.4.1 Standard Parking

Table 8.4.1(1) Parki			king Requirements	
Use			Minimum Number of Parking Spaces	
RESIDENTIAL AND RESIDENTIAL-RELATED US			JSES	
		(i) One Detached Dwelling Unit		
(a) Princ	cipal	(ii) Two Attached Dwelling Units	10	allia a varit
Dwe Units	_	(iii) Three or More Dwelling Units	1.0 space per dw	ening unit
		(iv) Mobile Homes		
(b) Seco	ondary	(i) Secondary Suites		
Dwe Units		(ii) Coach Houses	1.0 space per dw	elling unit
		(iii) Caretaker Suites	,	
(c) Care		cence-Not-Required	n/a	
		(i) Minor	n/a	
		(ii) Major	1.0 space per non-residen	t on-site employee
(d) Hom	ne upation	(iii) Bed and Breakfast Accommodation	0.5 spaces per slee	eeping unit
		(iv) Vacation Rental Accommodation	n/a	
ALL OT	HER USES	5		
(e) Acco	mmodatio	on, Hotel	1.0 space per sle	eping unit
(f) Acco	mmodatic	on, Motel	1.0 space per sleeping unit n/a n/a 1.0 space per 100.0 m² of floor area	
(g) Agric	culture			
(h) Airpo	ort			
(i) Anin	nal Shelter			
(j) Aqua			n/a	
(k) Aqua			n/a	
(l) Auto	motive an	d Equipment Services, Light	1.0 space per 100.0 m ² of floor area	
1 – Administration 2 – Enforcement		2 – Enforcement	3 – Interpretation	4 – Definitions
– Administr	- General Regulations 6 – Use-Specific Regulations		7 – Landscaping & Screening	8 – Parking and Loadir
	ulations	o ose specific regulations		J

Table 8.4.1(1) Parking Requirements			
Use	Minimum Number of Parking Spaces		
(m) Automotive and Equipment Services, Heavy	1.0 space per 100.0 m² of floor area		
(n) Care Facility, Child	1.0 space per 8 children of capacity or 2.0 spaces per 100.0 m ² of floor area, whichever is greater		
(o) Care Facility, Community	0.5 spaces per sleeping unit or 1.0 space per 8 persons of capacity, whichever is greater		
(p) Cultural and Community Services	2.5 spaces per 100.0 m ² of floor area		
(q) DND Facilities	n/a		
(r) Education Services	1.5 spaces per 100.0 m ² of floor area		
(s) Emergency and Protective Services	3.5 spaces per 100.0 m ² of floor area		
(t) Entertainment Facility	2.5 spaces per 100.0 m ² of floor area		
(u) Farmer's Market	n/a		
(v) Fleet Services Facility	1.0 space per 100.0 m ² of floor area, plus 1.0 space per fleet vehicle		
(w) Food Services	4.0 spaces per 100.0 m ² of floor area		
(x) Gas Station	2.0 spaces per 100.0 m² of floor area		
(y) Health Services	4.0 spaces per 100.0 m ² of floor area		
(z) Industrial, Light	0.5 spaces per 100.0 m ² of floor area		
(aa) Kennel Facility	1.0 space per 100.0 m ² of floor area		
(bb)Licensed Premises	4.0 spaces per 100.0 m² of floor area		
(cc) Marina	1.0 spaces per 3 berths		
(dd)Mobile Vending	n/a		
(ee) Personal Services	2.5 spaces per 100.0 m ² of floor area		
(ff) Plant Nursery	2.5 spaces per 100.0 m ² of floor area		
(gg)Production Facility, Alcohol	0.5 spaces per 100.0 m ² of floor area		
(hh) Production Facility, Cannabis	0.5 spaces per 100.0 m ² of floor area		
(ii) Professional Services, Internal-Facing	1.0 space per 100.0 m ² of floor area		
(jj) Professional Services, Public-Facing	2.5 spaces per 100.0 m ² of floor area		
(kk) Recreation Facilities, Indoor	4.0 spaces per 100.0 m ² of floor area		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones 10 – Multi-Unit Res		10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.4.1(1) Parking Requirements		
Use	Minimum Number of Parking Spaces	
(II) Recreation Facilities, Outdoor	n/a	
(mm) Recycling Facility	0.5 spaces per 100.0 m² of floor area	
(nn) Retail, Cannabis	2.5 spaces per 100.0 m ² of floor area	
(oo)Retail, Liquor	2.5 spaces per 100.0 m ² of floor area	
(pp)Retail Sales	2.5 spaces per 100.0 m² of floor area	
(qq)Storage Facility, Indoor	1.0 space per 100.0 m² of floor area	
(rr) Storage Facility, Warehouse	0.5 spaces per 100.0 m ² of floor area	
(ss) Storage, Outdoor	n/a	
(tt) Veterinary Services, Major	0.5 spaces per 100.0 m² of floor area	
(uu) Veterinary Services, Minor	2.5 spaces per 100.0 m² of floor area	
(w) Watercraft and Equipment Services	1.0 space per 100.0 m² of floor area	
(ww) Wholesale Services	1.0 space per 100.0 m ² of floor area	

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

8.4.2 Barrier-Free Parking

(1) Despite **Section 8.3**, every required barrier-free parking space must achieve the minimum dimensions prescribed in **Table 8.4.2(2)**.

Table 8.4.2(2) Minimum Dimensions for Barrier-Free Parking Spaces					
Type of Barrier-Free Parking Space	Width	Length	Height Clearance ¹	Side Access Aisle Width	
Standard	2.1	5.5 m	2.75 ***	1 5 2	
Van-Accessible	3.1 m	5.8 m	2.75 m	1.5 m ²	

CONDITIONS [Table 8.4.2(2)]:

- Refers to the minimum clearance that must be provided between the surface of the barrier-free parking space and the underside of any obstruction located directly above such parking space.
- ² Two adjacent barrier-free parking spaces may share a single side access aisle.
- (3) Barrier-free parking spaces must be provided as a function of the total number of required parking spaces prescribed in **Table 8.4.1(1)**.

Table 8.4.2(4) Barrier-Free Parking Requirements				
Total Number of Required Parking Spaces	Minimum Number of Barrier-Free Parking Spaces ¹			
1 – 10	0			
11 - 50	1			
≥ 50	1% of all spaces ²			

CONDITIONS [Table 8.4.2(4)]:

- Barrier-free parking spaces shall be included in the total number of required parking spaces. For example: where a development must provide twenty-five parking spaces, the total number of required parking spaces is twenty-five, one of which must be a barrier-free parking space.
- Where three or more barrier-free parking spaces are required, at least one space must achieve the minimum dimensions of a van-accessible barrier-free parking space as prescribed in **Table 8.4.2(2)**.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (5) Despite **Section 8.3**, every required barrier-free parking space must:
 - (a) have a firm and slip-resistant surface which does not exceed a 3% slope;
 - (b) have a side access aisle which is clearly marked with high contrast diagonal hatched pavement marking; and
 - (c) be clearly marked with high contrast pavement markings or vertical signage displaying the International Symbol of Access.
- (6) Barrier-free parking spaces shall be located within 10.0 metres of:
 - (a) an elevator in an enclosed parking area;
 - (b) the primary entrance of the building they are intended to serve; or
 - (c) any another public entrance which provides barrier-free access to the building they are intended to serve.

8.4.3 Commercial Vehicle Parking

- (1) Despite **Section 8.3**, the minimum dimensions of a parking space intended to be used for commercial vehicles exceeding 4,400 kilograms gross vehicle weight shall be in accordance with the oversize loading space dimensions prescribed in **Table 8.4.8(1)**.
- (2) On-site parking of commercial vehicles shall not be permitted in **Low-Density Residential** or **Multi-Unit Residential** zone, except:
 - (a) a maximum of one commercial vehicle not exceeding 4,400 kilograms gross vehicle weight;
 - (b) commercial vehicles required for the limited purpose of loading and unloading household contents; or
 - (c) commercial vehicles required for construction, repair, servicing, or maintenance works occurring on the lot.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

8.4.4 Electric Vehicle Parking

(1) EV-prepared parking spaces must be provided as a function of the total number of required parking spaces prescribed in **Table 8.4.1(1)**.

Table 8.4.4(2) Electric Vehicle Parking Requirements				
Total Number of Required Parking Spaces	Minimum Number of EV-Prepared Parking Spaces ¹			
1 – 10	0			
> 10	5% of all spaces			

CONDITIONS [Table 8.4.4(2)]:

EV-prepared parking spaces shall be included in the total number of required parking spaces. For example: where a development must provide 20 parking spaces, the total number of required parking spaces is 20, one of which must be an EV-prepared parking space.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

8.4.5 Small Vehicle Parking

- (1) Small vehicle parking spaces may be provided as a function of the total number of required parking spaces prescribed in **Table 8.4.1(1)**, up to a maximum of 50% of required parking spaces in the **Downtown** (see **Map 8-1**) and up to a maximum of 35% of required parking spaces in all other areas.
- (2) Despite **Section 8.3**, small vehicle parking spaces must achieve the minimum dimensions prescribed in **Table 8.4.5(3)**.

Table 8.4.5(3) Minimum Dimensions for Small Vehicle Parking Spaces					
Parking Angle	Width	Length	Depth to Curb	Height Clearance	Manoeuvring Aisle Width ¹
0° (parallel parking)	2.6 m	7.0 m	2.6 m		3.6 m (one-way) ¹
30°		4.5 m	4.3 m		3.6 m (one-way) ¹
45°	2.2	4.5 m	4.9 m	2.2 m	3.9 m (one-way) ¹
60°	2.3 m	4.5 m	5.1 m		4.8 m (one-way) ¹
90°		4.5 m	4.6 m		7.0 m (two-way) 1,2

CONDITIONS [Table 8.4.5(3)]:

(4) Despite **Section 8.3**, small vehicle parking spaces must be clearly marked with pavement markings or vertical signage designating the parking space(s) for exclusive use by small vehicles.

8.4.6 Tandem Parking

(1) Tandem parking spaces are only permitted for the purpose of accommodating the parking space requirements of one dwelling unit.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

The maximum width of any manoeuvring aisle is 7.2 metres.

Where parking spaces are provided in a single row, the minimum manoeuvring aisle width is 6.7 metres.

8.4.7 Visitor Parking

(1) Visitor parking spaces must be provided for residential developments as a function of and in addition to the total number of required parking spaces prescribed in **Table 8.4.1(1)**.

Table 8.4.7(2) Visitor Parking Requirements					
Total Number of Required Parking Spaces	Minimum Number of Visitor Parking Spaces ¹				
	Downtown Parking Area	All Other Areas			
1 – 4	0	0			
≥ 5	10% of total number of required spaces	25% of total number of required spaces			

CONDITIONS [Table 8.4.7(2)]:

- Visitor parking is calculated in addition to the total number of required parking spaces. For example: where a residential development in the **Downtown** must provide 15 parking spaces, the total number of required parking spaces is 17, two of which must be designated as visitor parking.
- (3) Where one or more visitor parking spaces are required, a minimum of one of such visitor parking space must achieve the standards of a barrier-free parking space.
- (4) Despite **Section 8.3**, visitor parking spaces must be clearly marked with pavement markings or vertical signage designating the parking space(s) for exclusive use as visitor parking.

8.4.8 Loading Spaces

Table 8.4.8(1) Minimum Dimensions for Loading Spaces					
Type of Loading Space	Width	Length	Height Clearance ¹	Side Access Aisle Width	
Standard	2.6 m	5.5 m	2.75 m	0.5 m	
Oversize	3.5 m	16.0 m	3.0 m	1.0 m	

CONDITIONS [Table 8.4.8(1)]:

Refers to the minimum clearance that must be provided between the surface of the loading space and the underside of any obstruction located directly above such loading spaces.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(2) Loading spaces shall be provided in addition to the total number of required parking spaces prescribed in **Table 8.4.1(1)**. Zero loading spaces are required for specific uses not listed in **Table 8.4.8(3)**.

Table 8.4.8(3) Loading Require	ments	
Use	Floor Area	Minimum Number of Loading Spaces	
		Conventional	Oversize
MINIMAL LOADING			
Automotive and Equipment Services, Light Care Facility, Child Care Facility, Community Cultural and Community Services Education Services Entertainment Facility	< 475.0 m ²	0	0
Farmer's Market Food Services Health Services Licensed Premises Personal Services Plant Nursery Professional Services, Internal-Facing Professional Services, Public-Facing Recreation Facilities, Indoor Retail, Cannabis Retail, Liquor Retail Sales Veterinary Services, Minor Veterinary Services, Major	475.0 – 2,800.0 m ²	1	0
	≥ 2,800.0 m²	1	1
OVERSIZE LOADING			
Accommodation, Hotel Accommodation, Motel Automotive and Equipment Services, Heavy Emergency and Protective Services Fleet Services Facility Industrial, Light Production Facility, Alcohol	< 2,325.0 m ²	1	1

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.4.8(3) Loading Requirements					
Use	Floor Area	Minimum Number of Loading Spaces			
		Conventional	Oversize		
Production Facility, Cannabis Recreation Facilities, Outdoor Recycling Facility Storage Facility, Indoor Storage Facility, Warehouse Watercraft and Equipment Services Wholesale Services	≥ 2,325.0 m ²	n/a	1		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

8.5 Bicycle Parking

- (1) All bicycle parking spaces shall be located on the same lot as the use that they serve.
- (2) Bicycle parking shall be designed and installed in accordance with the minimum dimensions specified in Table 8.5(3) and the minimum standards specified in Table 8.5(4).

Table 8.5(3) Minimum Dimensions for Bicycle Parking				
Feature	Ground Anchored Rack		Wall Mounted Rack	
Angle of Rack	> 45 degrees	≤ 45 degrees	> 45 degrees	≤ 45 degrees
(a) Minimum Space Depth	1.8 m	1.45 m	1.2 m	
(b) Minimum Space Width	0.6 m			
(c) Minimum Aisle Width	1.5 m			
(d) Minimum Distance Between Bicycle Racks	0.9 m	1.3 m	0.9 m	1.3 m
(e) Minimum Distance Between a Bicycle Rack and an Obstruction	0.6 m			

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development


Table 8.5(4) Minimum Standards for Bicycle Parking			
Feature	Short-Term Bicycle Parking	Long-Term Bicycle Parking	
	Must be constructed of theft resistant materials and designed to support two points of the bicycle frame and enable the bicycle frame and at least one wheel to be securely locked to the rack with a single U-style lock.		
(a) Materials and Design	n/a	70% of all required long-term bicycle parking spaces provided in the form of a wall mounted rack must be equipped with a hydraulic lift mechanism.	
		50% of all required long-term bicycle parking space must include charging infrastructure for e-bikes.	
(b) Installation	Must be permanently anchored to the ground or a wall with secure, tamper-proof hardware.		
	Must be conveniently located	Must be located inside a building or within a secure, weather-protected, dedicated facility accessible to residents, employees, or other identified users of the building.	
(c) Location	within 25.0 m of any main entrances, whether inside or outside of the building, and in a well-lit area.	Must have an entry door that is a minimum width of 0.9 m and is equipped with an automatic or button-activated opening mechanism.	
		Must have a minimum unobstructed height clearance of 1.9 m between the floor and the ceiling.	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development



Figure 8-3. Short-Term Bicycle Parking Configuration Example

Figure 8-4. Long-Term Bicycle Parking Configuration Example



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (5) Bicycle parking spaces shall be provided in accordance with the number of short-term and long-term bicycle parking spaces required for a specific use as specified in **Table 8.5(6)**.
 - (a) Bicycle parking spaces for secondary uses shall be provided in addition to the bicycle parking spaces required for principal uses.
 - (b) Where multiple uses are established on a single lot or a bicycle parking area collectively serves multiple uses established on a single lot, the total number of required bicycle parking spaces shall be the sum of the bicycle parking requirements for each use calculated separately.
 - (c) Where a specific use is not listed, the bicycle parking requirements applicable to the use which is most comparable in character and purpose shall apply.

	Table 8.5(6) Bicycle Parking Requirements				
Use	2		Short-Term Bicycle Parking	Long-Term Bicycle Parking	
RE:	SIDENTIAL	AND RESIDENTIAL-RELATE	ED USES		
		(i) One Detached Dwelling Unit	n/a		
(a)	Principal Dwelling	(ii) Two Attached Dwelling Units	n/a		
		(iii) Three or More Dwelling Units	0.25 spaces per dwelling unit	0.5 spaces per dwelling unit	
		(iv) Mobile Homes	n/a		
(b)	Secondary	(i) Secondary Suites	n/a		
(D)	Dwelling	(ii) Coach Houses	n/a		
	Units	(iii) Caretaker Suites	n/a		
(c)	Care Facility	/, Licence-Not-Required	n/a		
(d) Home Occupation		upation	n/a		
AL	L OTHER U	SES			
(e)	(e) Accommodation, Hotel		0.1 spaces per sleeping unit or 6.0 spaces, whichever is greater	n/a	

1 – Administration 2 – Enforcement		3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.5(6) Bicycle Parking Requirements				
Use	Short-Term Bicycle Parking	Long-Term Bicycle Parking		
(f) Accommodation, Motel	0.1 spaces per sleeping unit or 6.0 spaces, whichever is greater	n/a		
(g) Agriculture	n,	/a		
(h) Airport	n,	/a		
(i) Animal Shelter	n,	/a		
(j) Aquaculture, Land-Based	n,	/a		
(k) Aquaculture, Marine-Based	n,	/a		
(I) Automotive and Equipment Services, Light	n/a	0.1 space per 100.0 m ² of floor area		
(m) Automotive and Equipment Services, Heavy	n/a	0.1 space per 100.0 m ² of floor area		
(n) Care Facility, Child		0.2 spaces per 100.0 m ² of floor area		
(o) Care Facility, Community		0.2 spaces per 100.0 m ² of floor area		
(p) Cultural and Community Services	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(q) DND Facilities	n,	/a		
(r) Education Services	0.8 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(s) Emergency and Protective Services	n/a	0.4 spaces per 100.0 m ² of floor area		
(t) Entertainment Facility	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	n/a		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.5(6) Bicycle Parking Requirements				
Use	Short-Term Bicycle Parking	Long-Term Bicycle Parking		
(u) Farmer's Market	0.6 spaces per 100.0 m ² of area or 6.0 spaces, whichever is greater	n/a		
(v) Fleet Services Facility	n,	⁄a		
(w) Food Services	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	n/a		
(x) Gas Station	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	n/a		
(y) Health Services	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(z) Industrial, Light	n/a	0.1 spaces per 100.0 m ² of floor area		
(aa) Kennel Facility	n/a	0.1 spaces per 100.0 m ² of floor area		
(bb)Licensed Premises				
(cc) Marina	1.0 spaces per berth	n/a		
(dd)Mobile Vending	n,	⁄a		
(ee) Personal Services	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(ff) Plant Nursery	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(gg)Production Facility, Alcohol	0.6 spaces per 100.0 m ² of floor area or 6.0	0.2 spaces per 100.0 m ² of floor area		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.5(6) Bicycle Parking Requirements				
Use	Short-Term Bicycle Parking	Long-Term Bicycle Parking		
	spaces, whichever is greater			
(hh)Production Facility, Cannabis	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(ii) Professional Services, Internal-Facing	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.4 spaces per 100.0 m ² of floor area		
(jj) Professional Services, Public-Facing	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(kk) Recreation Facilities, Indoor	0.6 spaces per 100.0 m ² of floor area or 10.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(II) Recreation Facilities, Outdoor	0.6 spaces per 100.0 m ² of area or 10.0 spaces, whichever is greater	n/a		
(mm) Recycling Facility	n/a	0.1 spaces per 100.0 m ² of floor area		
(nn)Retail, Cannabis	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(oo)Retail, Liquor	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		
(pp)Retail Sales	0.6 spaces per 100.0 m ² of floor area or 6.0 spaces, whichever is greater	0.2 spaces per 100.0 m ² of floor area		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9	– Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 8.5(6) Bicycle Parking Requirements				
Use	Short-Term Bicycle Parking	Long-Term Bicycle Parking		
(qq)Storage Facility, Indoor	n	/a		
(rr) Storage Facility, Warehouse	n/a			
(ss) Storage, Outdoor	n/a			
(tt) Veterinary Services, Major	n/a			
(uu) Veterinary Services, Minor	n/a			
(w) Watercraft and Equipment Services	n/a	0.1 spaces per 100.0 m ² of floor area		
(ww) Wholesale Services	n/a	0.1 spaces per 100.0 m ² of floor area		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions	
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

8.6 End of Trip Facilities

(1) End-of-trip facilities must be provided as a function of the total number of required long-term bicycle parking spaces prescribed in **Table 8.5(6)**.

	Table 8.6(2) End-of-Trip Facility Requirements						
Use	Number of Long-Term Bicycle Parking Spaces	Number of Toilets	Number of Sinks	Number of Showers	Number of Storage Lockers		
(a) Develling	0 – 3						
(a) Dwelling Units,	4 – 15 ¹	0	0	0	0		
Hotel, and Motel	16 – 30 ^{1,2}						
Motel	> 30 ^{1,2}						
	0 – 3	0	0	0	0		
	4 – 15 ¹	1	1	1			
(b) All Other	16 – 30 ^{1,2}	2	2	2			
Uses	> 30 ^{1,2}	4, plus 2 for each additional 30 spaces	4, plus 2 for each additional 30 spaces	4, plus 2 for each additional 30 spaces	0.5 lockers per space		

CONDITIONS [Table 8.6(2)]:

- End-of-trip facilities must include a bicycle repair station including tools for bikes, a commercial grade tire pump, and a dedicated area to undertake simple repairs and maintenance.
- ² End-of-trip facilities must include a bicycle wash station including access to water and a dedicated bicycle cleaning area.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 9 | LOW-DENSITY RESIDENTIAL ZONES

9.1 Zone Intent

	Table 9.1(1) Intent of Zones					
Zone	Zone Name	Intent of Zone				
R-SSMU	Small-Scale Multi-Unit Residential	This zone is intended to support the gentle densification of existing low-density neighbourhoods by accommodating small-scale multi-unit housing forms that complement the character of adjacent properties.				
R-WF	Western Foreshore Residential	This zone is intended to accommodate up to three dwelling units in the Western Foreshore area where there are known infrastructure constraints limiting further densification.				
R-CL	Cape Lazo Residential	This zone is intended to accommodate low- density residential uses in the unserviced Cape Lazo area.				
R-LL	Large Lot Residential	This zone is intended to accommodate low- density residential uses on larger lots that are not connected to community water or community sewer systems.				

Table 9.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
Use	R-SSMU	R-WF	R-CL	R-LL	
(a) Accessory Buildings and Structures	S	S	S	S	
(b) Agriculture, Urban	S	S	S	S	
(c) Care Facility, Child	S	S	S	S	
(d) Care Facility, Community	S	S	S	S	
(e) Care Facility, Licence-Not-Required	S	S	S	S	
(f) Coach Houses ¹	S	S	S 2	S	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 9.2(1) Permitted Uses


P = permitted as a principal use S = permitted as a secondary use -- = use not permitted

Use		R-SSMU	R-WF	R-CL	R-LL
(g) Dwelling Units		Р	Р	Р	Р
(h) Farm Stand		S	S	S	S
	(i) Minor	S	S	S	S
(i) Home Occupation	(ii) Major	S	S	S	S
(i) Home Occupation	(iii) Bed and Breakfast Accommodation	S	S	S	S
	(iv) Vacation Rental Accommodation	S	S	S	S
(j) Kennel					S
(k) Mobile Home		3			
(I) Secondary Suites		S	S	S	S

CONDITIONS [Table 9.2(1)]:

- Subject to the coach house regulations prescribed in **Section 6.4** of this Bylaw.
- Despite Table 9.2(1), coach houses are not permitted in the areas indicated in Map 9-1.
- Mobile homes are permitted as a principal use in the areas indicated in Map 9-2.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development



Map 9-1. Coach House Restriction Area

1 – Administration	1 – Administration 2 – Enforcement 3 – Interpretation		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

16 – Comprehensive Development

TOWN OF COMOX Mobile Home Area Mobile Home Area Administrative Boundaries Town of Comox Reserve Lands Parcel 1 – Administration 2 – Enforcement 3 – Interpretation 4 - Definitions 6 – Use-Specific Regulations 5 – General Regulations 7 – Landscaping & Screening 8 – Parking and Loading 9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones 11 - Mixed-Use Zones 12 – Employment Zones

Map 9-2. Mobile Home Area

15 – Special Use Zones

14 – Park and Public Use Zones

13 – Marine Zones

9.3 Subdivision Standards

Table 9.3(1) Subdivision Regulations					
Criteria	R-SSMU	R-WF	R-CL	R-LL	
(a) Minimum Lot Area	450.0 m ² 1	650.0 m ²	5,000.0 m ² ²	3,500.0 m ²	
(b) Minimum Lot Width	15.0 m	20.0 m	27.0 m	20.0 m	

CONDITIONS [Table 9.3(1)]:

- The minimum lot area is 595.0 square metres for the lot legally described as Lot A (DD ED94874), Section 2, Comox District, Plan 11938 (2147 Downey Road).
- The minimum lot area is 5,000.0 square metres for the lot legally described as Lot 14A, Lot 93, Comox District, Plan 4276 (1469 Kye Bay Road).

9.4 General Regulations

Table 9.4(1) General Regulations							
Criteria	R-SSMU	R-WF	R-CL	R-LL			
(a) Maximum Lot Coverage	50%	35%	40%	30%			
(b) Maximum Lot Coverage Including Impervious Surfaces	70%	70%	70%	60%			
(c) Maximum Number of Dwelling Units	4 per lot ¹	2 per lot	2 per lot	4 per lot ¹			
(d) Maximum GFA for Principal Buildings ²	1,000.0 m ²	n/a	400.0 m ²	n/a			
(e) Maximum GFA for Accessory Buildings ³	60.0 m ²	60.0 m ²	60.0 m ²	60.0 m ²			

CONDITIONS [Table 9.4(1)]:

- The maximum number of dwelling units is two for lots that are larger than 4,050.0 square metres in lot area and are not serviced by community water and sanitary systems.
- ² Maximum GFA refers to the combined floor area of all principal buildings on a lot. For clarity, this does not include the GFA associated with a coach house.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

	Table 9.4(1) General Regulations						
Cri	teria	R-SSMU R-WF R-CL			R-LL		
3	Maximum GFA refers to the combined floor area of all accessory buildings and structures on a lot. For clarity, this does not include the GFA associated with a coach house.						


9.5 **Development Standards**

Table 9	Table 9.5(1) Development Regulations for Buildings and Structures – Principal and Secondary						
Criteria			R-SSMU	R-WF	R-CL ¹	R-LL	
(a) Maximui	m Height		11.0 m	9.0 m	9.0 m	9.0 m	
(b) Maximui	m Number o	of Storeys	3	2	2	2	
(c) Minimur	Minimum Front Setback	(i) garage / carport	6.0 m	7.5 m	3.0 m ²	7.5 m	
Setback		(ii) all other portions	3.0 m	7.5 m	3.0 m ²	7.5 m	
(d) Minimur	n Rear Setba	ack	5.0 m	7.5 m ³	1.2 m ²	7.0 m	
(e) Minimur	m Side Setba	ack	1.5 m	2.0 m	1.2 m ²	2.0 m	
(f) Minimur	Minimum Exterior Side Setback	(i) garage / carport	6.0 m	3.5 m	1.2 m ²	3.5 m	
Side Set		(ii) all other portions	3.0 m	3.5 m	1.2 m ²	3.5 m	
(g) Minimur	m Corner Cu	t-Off Setback	1.0 m	1.0 m	1.0 m	1.0 m	

CONDITIONS [Table 9.5(1)]:

- 1 A maximum of one principal building is permitted per lot.
- For lots in the Lazo Road Setback Area (Map 9-3):
 - the minimum front setback is 7.5 metres;
 - the minimum rear setback is 7.5 metres;
 - the minimum side setback is 2.0 metres; and
 - the minimum exterior side setback is 3.5 metres.
- The maximum rear setback is 30.0 metres for the lot legally described as Lot A District Lot 93 Comox District Plan 48731 (476 Winslow Road).

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development



Map 9-3. Lazo Road Setback Area

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 9.5(2) Development Regulations for Buildings and Structures – Accessory						
Criteria	R-SSMU	R-WF	R-CL	R-LL		
(a) Maximum Height	4.5 m	4.5 m	4.5 m	4.5 m		
(b) Minimum Front Setback	3.0 m	7.5 m	7.5 m	7.5 m		
(c) Minimum Rear Setback	1.2 m ¹	1.2 m	1.2 m	1.2 m		
(d) Minimum Side Setback	1.2 m ¹	1.2 m	1.2 m	1.2 m		
(e) Minimum Exterior Side Setback	3.0 m	3.5 m	3.5 m	3.5 m		
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m	1.0 m		

CONDITIONS [Table 9.5(2)]:

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

The minimum setback is 0.0 metres for an accessory building having less than 10.0 square metres of floor area, provided such accessory building is not located within a front or exterior side yard.

SECTION 10 | MULTI-UNIT RESIDENTIAL ZONES

10.1 Zone Intent

	Table 10.1(1) Intent of Zones					
Zone	Zone Name	Intent of Zone				
MR-1	Ground-Oriented Residential	This zone is intended to accommodate a mix of ground-oriented multi-unit housing forms up to three storeys.				
MR-2	Low-Rise Residential	This zone is intended to serve as a transition between the Downtown and surrounding residential neighbourhoods through the provision of low-rise multi-unit residential development up to four storeys.				
MR-3	Mid-Rise Residential	This zone is intended to accommodate multi-unit residential development up to six storeys within and adjacent to the Downtown.				

Table 10.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
Use	MR-1	MR-2	MR-3		
(a) Accessory Buildings and Structures	S	S 1	S		
(b) Agriculture, Urban	S	S	S		
(c) Care Facility, Child	S	P 2	p 2		
(d) Care Facility, Community	S	Р	Р		
(e) Coach Houses	S				
(f) Care Facility, Licence-Not-Required	S				
(g) Dwelling Units	Р	Р	Р		
(h) Home Occupation (i) Minor	S	S	S		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 10.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted						
Use		MR-1	MR-2	MR-3		
	(ii) Major	S	S			
	(iii) Bed and Breakfast Accommodation	S				
	(iv) Vacation Rental Accommodation	S				
(i) Food Services ³			S	S		
(j) Parking Lot		n/a	S	S		
(k) Secondary Suites		S				

CONDITIONS [Table 10.2(1)]:

- Accessory buildings shall not be located within a required front or exterior side yard.
- ² Child care facilities shall be located on the first storey of a principal building.
- Food services shall only be permitted where ancillary to a community care facility use occurring on the same lot.

10.3 Subdivision Standards

Table 10.3(1) Subdivision Regulations					
Criteria	MR-1	MR-2	MR-3		
(a) Minimum Lot Area	1,000.0 m ²	1,500.0 m ²	1,500.0 m ²		
(b) Minimum Lot Width	30.0 m	30.0 m	30.0 m		

10.4 General Regulations

Table 10.4(1) General Regulations				
Criteria	MR-1	MR-2	MR-3	
(a) Maximum Lot Coverage	70%	50%	70%	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 10.4(1) General Regulations					
Criteria	MR-1	MR-2	MR-3		
(b) Maximum Lot Coverage Including Impervious Surfaces	80%	60%	80%		
(c) Maximum Number of Dwelling Units	30 units per ha	n/a	n/a		
(d) Minimum Number of Dwelling Units	n/a	55 units per ha	80 units per ha		
(e) Maximum FAR	n/a	1.6	2.4		

10.5 Development Standards

Table 10.5(1) Development Regulations for Buildings and Structures – Principal and Secondary						
Criteria	MR-1	MR-2	MR-3			
(a) Maximum Height	12.0 m	16.0 m	24.0 m			
(b) Maximum Number of Storeys	3	4	6			
(c) Minimum Front Setback	4.5 m	4.5 m	4.5 m			
(d) Minimum Rear Setback	4.5 m	5.0 m	6.0 m			
(e) Minimum Side Setback	3.5 m	3.5 m	3.5 m			
(f) Minimum Exterior Side Setback	3.5 m	3.5 m	3.5 m			
(g) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m			
(h) Minimum Setback – lot lines fronting a garage or carport	6.0 m	6.0 m	6.0 m			

Table 10.5(2) Development Regulations for Buildings and Structures – Accessory						
Criteria	MR-1	MR-2	MR-3			
(a) Maximum Height	4.5 m	4.5 m	4.5 m			
(b) Minimum Front Setback	3.0 m	3.0 m	3.0 m			
(c) Minimum Rear Setback	1.2 m ¹ 1.2 m ¹		1.2 m ¹			
(d) Minimum Side Setback	1.2 m ¹	1.2 m ¹	1.2 m ¹			

1 – Administration	tration 2 – Enforcement 3 – Interpreta		4 – Definitions
5 – General Regulations	tions 6 – Use-Specific Regulations 7 – Landscaping & Screening		8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 10.5(2) Development Regulations for Buildings and Structures – Accessory						
Criteria MR-1 MR-2 MR-3						
(e) Minimum Exterior Side Setback	3.0 m	3.0 m	3.0 m			
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m			

CONDITIONS [Table 10.5(2)]:

	1 – Administration 2 – Enforcement		3 – Interpretation	4 – Definitions
5 – General Regulations 6 – Use-Specific Regulations		7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones		11 – Mixed-Use Zones	12 – Employment Zones	
	13 – Marine Zones 14 – Park and Public Use Zones		15 – Special Use Zones	16 – Comprehensive Development

The minimum setback is 0.0 metres for an accessory building having less than 10.0 square metres of floor area, provided such accessory building is not located within a front or exterior side yard.

SECTION 11 | MIXED-USE ZONES

11.1 Zone Intent

	Table 11.1(1) Intent of Zones							
Zone	Zone Name	Intent of Zone						
MU-1	Downtown Mixed-Use	This zone is intended to accommodate a mix of residential, commercial, and institutional uses that support vibrant, pedestrian-oriented development in the Town's historic Downtown.						
MU-2	Downtown Residential Mixed Use	This zone is intended to promote the provision of multi-unit residential development in the Downtown with complementary commercial and institutional uses at grade.						
MU-3	Corridor Mixed-Use	This zone is intended to accommodate mixed-use development along the Guthrie-Anderton Corridor.						
MU-4	Neighbourhood Mixed Use	This zone is intended to support improved liveability of existing residential areas through the provision of mixed-use development that complements the character and scale of the surrounding neighbourhood.						
MU-5	Cape Lazo Accommodation	This zone is intended to accommodate a mix of residential and tourist accommodation uses within the Cape Lazo area.						

Table 11.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted						
Use MU-1 MU-2 MU-3 MU-4 MU-5						
(a) Accessory Structures	S	S	S	S	S	
(b) Accommodation, Hotel	Р		Р		Р	
(c) Accommodation, Motel					Р	
(d) Care Facility, Child	Р	Р	Р	Р		

1 – Administration	2 – Enforcement 3 – Interpretation		4 – Definitions
5 – General Regulations	General Regulations 6 – Use-Specific Regulations 7 – Landscaping & Screet		8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 11.2(1) Permitted Uses

P = permitted as a principal use S = permitted as a secondary use -- = use not permitted

	= use	not permitte	ed			
Use		MU-1	MU-2	MU-3	MU-4	MU-5
(e) Care Facility, C	ommunity	Р	Р	Р	Р	
(f) Coach Houses	(f) Coach Houses					S
(g) Cultural and C	ommunity Services	Р	Р	Р	Р	
(h) Dwelling Units		P 1	Р	Р	Р	Р
(i) Entertainment	Facility	Р		Р		
(j) Food Services		Р	Р	Р	Р	S ²
(k) Health Service	S	Р 3	Р	Р	Р	
	(i) Minor	S 3	S	S	S	S
(I) Home Occupa	(ii) Major					S
(i) Home Occupa	(iii) Bed and Breakfast Accommodation					S
	(iv) Vacation Rental Accommodation					S
(m) Licensed Prem	ises	Р		Р	Р	S
(n) Mobile Vendin	g	Р	Р	Р	Р	Р
(o) Parking Lot		S	S	S	S	S
(p) Personal Servi	ces	Р		Р	Р	
(q) Production Fac	cility, Alcohol	S		S		
(r) Professional Se	ervices, Internal-Facing	Р 3		Р	Р	S
(s) Professional Se	ervices, Public-Facing	Р		Р	Р	
(t) Recreation Facilities, Indoor		Р		Р	Р	
(u) Retail, Cannabis		Р	Р	Р	Р	
(v) Retail, Liquor		4		Р		
(w) Retail Sales		Р	Р	Р	Р	S 5
(x) Secondary Sui	tes					S

1 – Administration	2 – Enforcement 3 – Interpretation		4 – Definitions
5 – General Regulations	General Regulations 6 – Use-Specific Regulations 7 – Landscaping & Scree		8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 11.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
Use MU-1 MU-2 MU-3 MU-4 MU-5					
(y) Veterinary Services, Minor P 3,6 P 6					

CONDITIONS [Table 11.2(1)]:

- Dwelling Units must be integrated within a principal building where there are other non-residential uses occurring, subject to the following regulations:
 - dwelling units shall be located above of a non-residential use occurring on the first storey; and
 - dwelling units shall be accessed through a separate entrance from all non-residential uses occurring within the same building, so long as areas used for residential access must not exceed a combined 25% of the first storey business frontage.
- The maximum floor area for food services is 140.0 square metres.
- Uses shall only be permitted where located above the first storey of a principal building.
- The maximum floor area for retail sales is 93.0 square metres.
- A maximum of one liquor retail establishment shall be permitted as a principal use on the lot legally described as Lot A, Section 56, Comox District, Plan VIP75741 (215 Port Augusta Street).
- Minor veterinary services shall not be permitted in any building containing more than one dwelling unit, a hotel accommodation, or a motel accommodation.

11.3 Subdivision Standards

Table 11.3(1) Subdivision Regulations								
Criteria MU-1 MU-2 MU-3 MU-4 MU-5								
(a) Minimum Lot Area	550.0 m ²	550.0 m ²	550.0 m ²	550.0 m ²	2,000.0 m ²			
(b) Minimum Lot Width	15.0 m	15.0 m	15.0 m	15.0 m	27.0 m			

11.4 General Regulations

Table 11.4(1) General Regulations					
Criteria MU-1 MU-2 MU-3 MU-4 MU-5					MU-5
(a) Maximum Lot Coverage	n/a	n/a	n/a	60%	50%

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations 6 – Use-Specific Regulations		7 – Landscaping & Screening	8 – Parking and Loading	
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 11.4(1) General Regulations							
Criteria	MU-1	MU-2	MU-3	MU-4	MU-5		
(b) Maximum Lot Coverage Including Impervious Surfaces	n/a	n/a	n/a	75%	60%		
(c) Maximum Number of Dwelling Units	n/a	n/a	n/a	n/a	3 per lot		
(d) Maximum FAR	1.2	1.2	1.0	1.0	0.8		

11.5 Development Standards

Table 11.5(1) Development Regulations for Buildings and Structures – Principal and Secondary						
Criteria		MU-1	MU-2	MU-3	MU-4	MU-5
(a) Maximum Height		10.0 m	10.0 m	10.0 m	10.0 m	10.0 m ¹
(b) Minimum Front Setba	ck	0.0 m	0.0 m	1.5 m	1.5 m	3.0 m
(c) Minimum Rear Setbac	ck	0.0 m	0.0 m	1.5 m	1.5 m	3.0 m
(d) Minimum Side	(i) abutting a lot in the Cape Lazo Mixed-Use zone	n/a	n/a	n/a	n/a	0.0 m
Setback	(ii) abutting a lot in any other zone	0.0 m ²	0.0 m ²	0.0 m ²	0.0 m ²	2.0 m
(e) Minimum Exterior Sid	e Setback	0.0 m	0.0 m	1.5 m	1.5 m	2.0 m
(f) Minimum Corner Cut-	-Off Setback	1.0 m				

CONDITIONS [Table 11.5(1)]:

- 1 The maximum number of storeys permitted is two.
- The minimum setback is 3.5 metres for any lot line abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.

Table 11.5(2) Development Regulations for Accessory Structures					
Criteria	MU-1	MU-2	MU-3	MU-4	MU-5
(a) Maximum Height	4.5 m				

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 11.5(2) Development Regulations for Accessory Structures						
Criteria	MU-1	MU-2	MU-3	MU-4	MU-5	
(b) Minimum Front Setback	0.0 m	0.0 m	1.5 m	1.5 m	3.0 m	
(c) Minimum Rear Setback	0.0 m	0.0 m	1.5 m	1.5 m	3.0 m	
(d) Minimum Side Setback	0.0 m					
(e) Minimum Exterior Side Setback	0.0 m	0.0 m	1.5 m	1.5 m	2.0 m	
(f) Minimum Corner Cut-Off Setback	1.0 m					

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations 6 – Use-Specific Regulations		7 – Landscaping & Screening	8 – Parking and Loading	
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 12 | EMPLOYMENT ZONES

12.1 Zone Intent

	Table 12.1(1) Intent of Zones						
Zone	Zone Name	Intent of Zone					
E-1	Corridor Commercial	This zone is intended to accommodate a variety of commercial uses and services outside of the Downtown.					
E-2	Service Commercial	This zone is intended to accommodate a range of service commercial and low-impact industry uses.					
E-3	Light Industrial	This zone is intended to designate and preserve land for light industrial development adjacent to the Comox Valley Airport.					

Table 12.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted						
Use	E-1	E-2	E-3			
(a) Accessory Structures	S	S	S			
(b) Accommodation, Hotel	Р	Р	Р			
(c) Accommodation, Motel	1					
(d) Airport			Р			
(e) Animal Shelter		Р				
(f) Automotive and Equipment Services, Light		Р	Р			
(g) Automotive and Equipment Services, Heavy			Р			
(h) Caretaker Suite	2	S	S			
(i) Care Facility, Child	Р	S	S			
(j) Cultural and Community Services	Р					
(k) Drive-Through Services	3					

1 – Administration	1 – Administration 2 – Enforcement		4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 12.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
Use	E-1	E-2	E-3		
(I) Education Services	S	S	S		
(m) Entertainment Facility	S	S			
(n) Farmer's Market		S			
(o) Fleet Services Facility		S	S		
(p) Food Services	Р	S	S		
(q) Gas Station	Р	Р	Р		
(r) Health Services	Р	Р			
(s) Industrial, Light		Р	Р		
(t) Licensed Premises	Р	Р			
(u) Mobile Vending	Р	Р	S		
(v) Parking Lot	S	S	S		
(w) Personal Services	Р	Р			
(x) Plant Nursery	Р	Р			
(y) Production Facility, Alcohol		Р	Р		
(z) Production Facility, Cannabis		Р	Р		
(aa) Professional Services, Internal-Facing	Р	Р	S		
(bb)Professional Services, Public-Facing	Р	S	S		
(cc) Recreation Facilities, Indoor	Р	Р			
(dd)Recycling Facility		Р	Р		
(ee) Retail, Cannabis	Р	Р			
(ff) Retail, Liquor	Р	S			
(gg)Retail Sales	Р	Р			
(hh)Storage, Outdoor		4	S		
(ii) Veterinary Services, Major		Р	Р		
(jj) Veterinary Services, Minor	Р	Р	Р		
(kk) Watercraft and Equipment Services			Р		

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

P = permitted S = permitted	Table 12.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
Use E-1 E-2 E-3						
(II) Wholesale Services		Р	S			

CONDITIONS [Table 12.2(1)]:

- Motel accommodation is permitted as a principal use on the lot legally described as Lot A, Section 1, Comox District, Plan VIP63902 Except Plan EPP123005 (2082 Comox Avenue).
- One caretaker suite shall be permitted as a secondary use on the lot legally described as Lot A, Section 1, Comox District, Plan VIP63902 (2082 Comox Avenue).
- Drive-through services are permitted as a secondary use, up to a maximum of two drive-through services establishments per lot, on the lots legally described as:
 - Lot A, District Lot 170, Comox District, Plan VIP67445 (727 Anderton Road); and
 - Lot A, Section 77, Comox District, Plan VIP86498 (1966 Guthrie Road).
- Outdoor storage is permitted as a secondary use on the lots legally described as:
 - Lot 1, Section 70, Comox District, Plan VIP53357 (528 Anderton Road);
 - That Part of Section 70, Comox District, Shown on Plan VIP56874 (528 Anderton Road); and
 - Lot A (DD EF138928), Section 70, Comox District, Plan VIP51941 (554 Anderton Road).

12.3 Subdivision Standards

Table 12.3(1) Subdivision Regulations					
Criteria	E-1	E-2	E-3		
(a) Minimum Lot Area	900.0 m ²	900.0 m ²	2000.0 m ²		
(b) Minimum Lot Width	30.0 m	30.0 m	30.0 m		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

12.4 General Regulations

Table 12.4(1) General Regulations						
Criteria	E-1	E-1 E-2				
(a) Maximum Lot Coverage	60%	70%	60%			
(b) Maximum Lot Coverage Including Impervious Surfaces	80%	100%	80%			
(c) Maximum Number of Dwelling Units ¹	n/a	1 per building	1 per building			

CONDITIONS [Table 12.4(1)]:

12.5 Development Standards

Table 12.5(1) Development Regulations for Buildings and Structures – Principal and Secondary					
Criteria		E-1	E-2	E-3	
(a) Maximum Height		10.0 m	10.0 m	10.0 m	
(b) Minimum Front Setba	ck	2.5 m	2.5 m	3.0 m	
(c) Minimum Rear Setback	(i) abutting a lot in a Low-Density Residential or Multi-Unit Residential zone	7.5 m	7.5 m	7.5 m	
	(ii) abutting a lot in any other zone	3.0 m	3.0 m	3.0 m	
(d) Minimum Side Setback	(i) abutting a lot in a Low-Density Residential or Multi-Unit Residential zone	6.0 m	6.0 m	7.5 m	
	(ii) abutting a lot in any other zone	0.0 m	0.0 m	3.0 m	

1 – Administration		2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

¹ Dwelling units shall only be permitted in the form of a caretaker suite.

Table 12.5(1) Development Regulations for Buildings and Structures – Principal and Secondary			
Criteria	E-1	E-2	E-3
(e) Minimum Exterior Side Setback	2.5 m	2.5 m	3.0 m
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m

Table 15.5(2) Development Regulations for Accessory Structures				
Criteria	E-1	E-2	E-3	
(a) Maximum Height	4.5 m	10.0 m	10.0 m	
(b) Minimum Front Setback	2.5 m	2.5 m	3.0 m	
(c) Minimum Rear Setback	3.0 m	3.0 m	3.0 m	
(d) Minimum Side Setback	0.0 m	0.0 m	3.0 m	
(e) Minimum Exterior Side Setback	2.5 m	2.5 m	3.0 m	
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 13 | MARINE ZONES

13.1 Zone Intent

	Table 13.1(1) Intent of Zones						
Zone Zone Name		Intent of Zone					
M-1	Open Water	This zone is intended to provide for the use of intertidal areas and the open ocean for both recreational purposes and the navigation of commercial and recreational vessels.					
M-2	Marina	This zone is intended to accommodate marinas and marina-related commercial uses both above and below the natural boundary.					

Table 13.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted					
		М	-2		
Use	M-1	Above the Natural Boundary	Below the Natural Boundary		
(a) Accessory Structures	S 1	S	S		
(b) Accommodation, Hotel		S			
(c) Aquaculture, Land-Based		S			
(d) Aquaculture, Marine-Based	P 2		S		
(e) Boat Launches	S	Р	Р		
(f) Breakwaters	Р	Р	Р		
(g) Caretaker Suite		S 3			
(h) Care Facility, Child		S			
(i) Cultural and Community Services		S 3			

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 13.2(1) Permitted Uses

P = permitted as a principal use S = permitted as a secondary use -- = use not permitted

		M-2		
Use	M-1	Above the Natural Boundary	Below the Natural Boundary	
(j) Education Services		S		
(k) Farmer's Market		S		
(I) Food Services		S		
(m) Health Services	-	S 3		
(n) Licensed Premises	-	S		
(o) Marina		Р	Р	
(p) Mobile Vending		Р	S 4	
(q) Parking Lot		S		
(r) Personal Services		S		
(s) Professional Services, Internal-Facing		S 3		
(t) Retail Sales		S		
(u) Watercraft and Equipment Services		S	S	

CONDITIONS [Table 13.2(1)]:

- Accessory structures shall be limited to permanently anchored floating devices which support the safe navigation of boats and other such vessels such as buoys or beacons.
- Land-based aquaculture shall not involve the placement of any structures except for 0.35 metre concrete blocks to mark the corners of a tenure boundary.
- Uses must be located above the first storey of a principal building.
- Mobile vending shall be conducted out of a floating vessel.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations 7 – Landscaping & Screening		8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	ulti-Unit Residential Zones 11 – Mixed-Use Zones		
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

13.3 Subdivision Standards

Table 13.3(1) Subdivision Regulations				
		M-2		
Criteria	M-1	Above the Natural Boundary	Below the Natural Boundary	
(a) Minimum Lot Area	n/a	900.0 m ²	900.0 m ²	
(b) Minimum Lot Width	n/a	35.0 m	n/a	

13.4 General Regulations

Table 13.4(1) General Regulations					
		M-2			
Criteria	M-1	Above the Natural Boundary	Below the Natural Boundary		
(a) Maximum Lot Coverage	n/a	50%	n/a		
(b) Maximum Lot Coverage Including Impervious Surfaces	n/a	60%	n/a		
(c) Maximum Number of Dwelling Units ¹	n/a	1 per commercial unit	n/a		

CONDITIONS [Table 13.4(1)]:

13.5 Development Standards

Table 13.5(1) Development Regulations for Buildings and Structures – Principal and Secondary					
		М	M-2		
Criteria	M-1	Above the Natural Boundary	Below the Natural Boundary		
(a) Maximum Height	n/a	10.0 m	5.5 m ¹		
(b) Maximum Number of Storeys	n/a	2	1		

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	al Regulations 6 – Use-Specific Regulations 7 – Landscaping & Screening		8 – Parking and Loading	
9 – Low-Density Residential Zones	ty Residential Zones 10 – Multi-Unit Residential Zones 11 – Mixed-Use Zones		12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

¹ Dwelling units shall only be permitted in the form of a caretaker suite.

Table 13.5(1) Development Regulations for Buildings and Structures – Principal and Secondary

		M-2		
Criteria	M-1	Above the Natural Boundary	Below the Natural Boundary	
(c) Minimum Front Setback	n/a	7.5 m	3.0 m	
(d) Minimum Rear Setback	n/a	7.5 m	3.0 m	
(e) Minimum Side Setback	n/a	0.0 m ²	3.0 m	
(f) Minimum Exterior Side Setback	n/a	3.5 m	3.0 m	
(g) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m	

CONDITIONS [Table 13.5(1)]:

- 1 Height shall be measured from the surface of the water.
- The minimum side setback is 3.5 metres where such lot line abuts a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.

Table 13.5(2) Development Regulations for Accessory Structures				
	M-2			
M-1	Above the Natural Boundary	Below the Natural Boundary		
n/a	4.5 m	4.5 m ¹		
n/a	3.0 m	3.0 m		
n/a	3.0 m	3.0 m		
n/a	3.0 m	3.0 m		
n/a	3.0 m	3.0 m		
1.0 m	1.0 m	1.0 m		
	M-1 n/a n/a n/a n/a n/a n/a n/a n/	M-1 Above the Natural Boundary n/a 4.5 m n/a 3.0 m n/a 3.0 m n/a 3.0 m n/a 3.0 m		

CONDITIONS [Table 13.5(2)]:

1 Height shall be measured from the surface of the water.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 14 | PARK AND PUBLIC USE ZONES

14.1 Zone Intent

	Table 14.1(1) Intent of Zones					
Zone	Zone Name Intent of Zone					
P-1	Park and Nature Conservation	This zone is intended to preserve and protect lands that provide significant biodiversity and ecosystem services.				
P-2	Park and Open Space	This zone is intended to designate lands for the preservation and enhancement of the Town's park and open space assets while providing for a range of low impact recreational uses.				
P-3	Public Golf Course	This zone is intended to accommodate the Comox Golf Club.				
PU	Civic Facilities and Public Space	This zone is intended to accommodate a range of civic uses.				

Table 14.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted							
Use	Use P-1 P-2 P-3 PU						
(a) Accessory Buildings and Structures	S	S	S	S			
(b) Agriculture, Urban		S		S			
(c) Boat Launches				S			
(d) Care Facility, Child	S	S		Р			
(e) Care Facility, Community				Р			
(f) Community Gardens		Р		Р			

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	5 – General Regulations 6 – Use-Specific Regulations		8 – Parking and Loading	
9 – Low-Density Residential Zones	9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones		12 – Employment Zones	
13 – Marine Zones 14 – Park and Public Use Zones		15 – Special Use Zones	16 – Comprehensive Development	

S

Table 14.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted				
Use	P-1	P-2	P-3	PU
(g) Cultural and Community Services			-	Р
(h) Dwelling Units				S 1
(i) Education Services				Р
(j) Emergency and Protective Services				Р
(k) Farmer's Market		S		S
(I) Food Services			S	S
(m) Health Services				S
(n) Home Occupation (i) Minor				S
(o) Industrial, Light				2,3
(p) Licensed Premises			S	
(q) Mobile Vending		S	S	S
(r) Park	Р	Р	Р	S
(s) Parking Lot	n/a	S	S	S
(t) Recreation Facilities, Indoor				Р
(u) Recreation Facilities, Outdoor		S	Р	S

CONDITIONS [Table 14.2(1)]:

(v) Retail Sales

- Dwelling units shall only be permitted where ancillary to a community care facility use occurring on the same lot.
- Light industrial is permitted, provided such uses are limited to the processing or packing of food or beverage products, on the lot legally described as LOT 1, SECTIONS 53 AND 56, COMOX DISTRICT, PLAN VIP71843 (1855 Noel Avenue).
- Processing or packing of food or beverage products shall not include the bottling of water where the source of the water is not the municipal water supply provided directly to the property on which the bottling is taking place.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	5 – General Regulations 6 – Use-Specific Regulations		8 – Parking and Loading	
9 – Low-Density Residential Zones	9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones		12 – Employment Zones	
13 – Marine Zones 14 – Park and Public Use Zones		15 – Special Use Zones	16 – Comprehensive Development	

14.3 **Subdivision Standards**

Table 14.3(1) Subdivision Regulations					
Criteria	P-1	P-2	P-3	PU	
(a) Minimum Lot Area	n/a	n/a	n/a	750.0 m ²	
(b) Minimum Lot Width	n/a	n/a	n/a	18.0 m	

14.4 General Regulations

Table 14.4(1) General Regulations					
Criteria	P-1	P-2	P-3	PU	
(a) Maximum Lot Coverage	10%	30%	10%	35%	
(b) Maximum Lot Coverage Including Impervious Surfaces	15%	35%	15%	50%	
(c) Maximum FAR	n/a	n/a	n/a	1.6	

14.5 Development Standards

Table 14.5(1) Development Regulations for Buildings and Structures – Principal and Secondary						
Criteria P-1 P-2 P-3 P						
(a) Maximum Height	n/a	n/a	10.0 m	15.0 m		
(b) Minimum Front Setback	n/a	n/a	n/a	7.5 m		
(c) Minimum Rear Setback	n/a	n/a ¹	n/a ¹	9.0 m		
(d) Minimum Side Setback	n/a	n/a ¹	n/a ¹	6.0 m		
(e) Minimum Exterior Side Setback	n/a	n/a	n/a	6.0 m		
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m	1.0 m		

CONDITIONS [Table 14.5(1)]:

The minimum setback is 3.0 metres for any lot line abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations 6 – Use-Specific Regulations		7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones 10 – Multi-Unit Residential Zones 13 – Marine Zones 14 – Park and Public Use Zones		11 – Mixed-Use Zones	12 – Employment Zones
			15 – Special Use Zones	16 – Comprehensive Development

Table 14.5(2) Development Regulations for Buildings and Structures – Accessory				
Criteria	P-1	P-2	P-3	PU
(a) Maximum Height	4.5 m	4.5 m	4.5 m	4.5 m
(b) Minimum Front Setback	n/a	n/a	n/a	3.5 m
(c) Minimum Rear Setback	n/a ¹	n/a ¹	n/a ¹	1.5 m
(d) Minimum Side Setback	n/a ¹	n/a ¹	n/a ¹	1.5 m
(e) Minimum Exterior Side Setback	n/a	n/a	n/a	3.5 m
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	1.0 m	1.0 m

CONDITIONS [Table 14.5(2)]:

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

The minimum setback is 3.0 metres for any lot lines abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.

SECTION 15 | SPECIAL USE ZONES CATEGORY

15.1 Zone Intent

	Table 15.1(1) Intent of Zones				
Zone Zone Name		Intent of Zone			
ALR	Agriculture	This zone is intended to accommodate agricultur uses on lands located within the Agricultural Land Reserve.			
DND DND Lands		This zone is intended to accommodate buildings, structures, and uses owned and operated by the Department of National Defence, including the 19 Wing Comox Canadian Forces Base and Comox Valley Airport.			

15.2 Permitted Uses

Table 15.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted			
Use	ALR	DND	
(a) Accessory Buildings and Structures	S	S	
(b) Agriculture	P 1	Р	
(c) Agriculture, Urban	S	S	
(d) Airport		Р	
(e) Aquaculture, Land-Based	Р		
(f) Automotive and Equipment Services, Light		Р	
(g) Automotive and Equipment Services, Heavy		Р	
(h) Boat Launches		S	
(i) Caretaker Suite		S	
(j) Care Facility, Child	S	S	

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 15.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use -- = use not permitted Use ALR DND (k) Care Facility, Community S S (I) Care Facility, Licence-Not-Required S S (m) Coach Houses S S (n) Cultural and Community Services Р --(o) DND Facilities Р (p) Dwelling Units Р S Р (q) Education Services (r) Emergency and Protective Services Р --S 2 (s) Farmer's Market S (t) Food Services Р (u) Health Services Ρ (i) Minor S S S S (ii) Major (v) Home Occupation (iii) Bed and Breakfast S Accommodation (iv) Vacation Rental S Accommodation (w) Industrial, Light Ρ (x) Kennel Facility Ρ --(y) Licensed Premises --S (z) Mobile Vending S³ S 3 (aa) Parking Lot S (bb)Personal Services Ρ --(cc) Plant Nursery Ρ (dd)Recreation Facilities, Indoor S

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9	– Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Table 15.2(1) Permitted Uses P = permitted as a principal use S = permitted as a secondary use = use not permitted Use ALR DND		
(ff) Retail Sales	S	Р
(gg)Secondary Suites	S	S
(hh) Veterinary Services, Minor	S	

CONDITIONS [Table 15.2(1)]:

- A building or structure used to shelter or board horses shall be limited to a maximum of 40.0 permanent stalls.
- Farmer's markets are permitted to supplement a principal agriculture use occurring on the same lot, provided:
 - a minimum of 50% of all items being sold comprise farm products produced on site; and
 - the maximum area occupied by the farmer's market is 300.0 square metres.
- Mobile vending is only permitted where secondary to a farmer's market.

15.3 Subdivision Standards

Table 15.3(1) Subdivision Regulations				
Criteria	ALR	DND		
(a) Minimum Lot Area	n/a ¹	n/a		
(b) Minimum Lot Width	n/a ¹	n/a		

CONDITIONS [Table 15.3(1)]:

Subdivision shall only be permitted in accordance with the *Agricultural Land Commission Act* and its regulations.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

15.4 General Regulations

	Table 15.4(1) General Regulations				
Criteria		ALR	DND		
(a) Maximum Lo	t Coverage	50%	n/a		
(b) Maximum Number of		1 per lot	n /n		
Dwelling Units	Dwelling	2 per lot ¹	n/a		

CONDITIONS [Table 15.4(1)]:

15.5 Development Standards

Table 15.5(1) Development Regulations for Buildings and Structures			
Criteria	ALR	DND	
(a) Maximum Height	n/a	n/a	
(b) Minimum Front Setback	7.5 m ¹	n/a	
(c) Minimum Rear Setback	7.5 m ¹	n/a	
(d) Minimum Side Setback	4.5 m ¹	n/a	
(e) Minimum Exterior Side Setback	7.5 m ¹	n/a	
(f) Minimum Corner Cut-Off Setback	1.0 m	1.0 m	

CONDITIONS [Table 15.5(1)]:

Buildings and structures used for intensive agricultural uses including but not limited to livestock and poultry barns or holding area, mushroom production facilities, on-farm composting, solid waste storage, and silos shall have a minimum setback of 30.0 metres.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

A maximum of one secondary dwelling unit is permitted for lots that are smaller than 1.0 hectare in lot area and are not serviced by community water and sanitary systems.

SECTION 16 | COMPREHENSIVE DEVELOPMENT ZONES

CD1 – Beckton Estates

For the purposes of the CD1 zone, Areas A1, A2, B, and C1 are as shown in Figure 16-1.

CD1.1 Permitted Uses

- (1) In the CD1 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Areas A1 and A2:
 - i. Accessory Buildings and Structures
 - ii. Care Facility, Licence-Not-Required
 - iii. Home Occupation, Minor
 - iv. Two or More Attached Dwelling Units
 - (b) Area B:
 - i. Accessory Buildings and Structures
 - ii. Care Facility, Licence-Not-Required
 - iii. Home Occupation, Minor
 - iv. Two or More Attached Dwelling Units
 - (c) Area C:
 - i. Accessory Buildings and Structures
 - ii. Care Facility, Licence-Not-Required
 - iii. Home Occupation, Minor
 - iv. Two or More Attached Dwelling Units

CD1.2 Density

- (1) For Areas A1 and A2, combined, density shall not exceed 19 units per hectare.
- (2) For Area B, density shall not exceed 21 units per hectare.
- (3) For Area C1, density shall not exceed 36 units per hectare.

CD1.3 Minimum Lot Area

- (1) Area A1: 20,000.0 square metres
- (2) Area A2: 23,000.0 square metres
- (3) Area B: 6,000.0 square metres
- (4) Area C1: 2,000.0 square metres

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD1.4 Maximum Lot Coverage

(1) Lot coverage shall not exceed 25%.

CD1.5 Maximum Height and Storeys

- (1) Areas A1, A2, and B:
 - (a) Maximum Height: 10.6 metres
 - (b) Maximum Storeys: 2
- (2) Area C:
 - (a) Maximum Height: 12.0 metres
 - (b) Maximum Storeys: 3

CD1.6 Minimum Setbacks

- (1) Areas A1 and A2:
 - (a) Front Setback: 10.6 metres
 - (b) Rear Setback: 7.5 metres
 - (c) Side Setback: 7.5 metres
 - (d) Exterior Side Setback: 7.5 metres
- (2) Area B:
 - (a) Setbacks shall not be less than as shown in Figure 16-2.
- (3) Area C:
 - (a) Front Setback: 10.6 metres
 - (b) Rear Setback: 6.0 metres
 - (c) Side Setback: 2.4 metres
 - (d) Exterior Side Setback: 2.4 metres


CD1.7 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 45.0 square metres of lot coverage;
 - (c) not occupy more than 2/3 of the width of the rear yard;
 - (d) not be located in the front yard;
 - (e) not be located closer than 4.5 metres from an exterior side lot line; and
 - (f) not be located closer than 1.2 metres from a rear lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD1.8 Conditions

- (1) For Areas A1 and A2, vehicle accesses onto Guthrie Road shall not exceed two.
- (2) For Areas B and C1, vehicle accesses onto Guthrie Road shall not exceed one.



1 – Administration 2 – Enforcement 3 - Interpretation 4 - Definitions 6 – Use-Specific Regulations 8 – Parking and Loading 5 – General Regulations 7 – Landscaping & Screening 9 - Low-Density Residential Zones 10 – Multi-Unit Residential Zones 11 - Mixed-Use Zones 12 – Employment Zones 14 – Park and Public Use Zones 13 - Marine Zones 15 – Special Use Zones 16 – Comprehensive Development



Figure 16-2. Beckton Estates Setback Areas

CD2 – Cluster Single-Family

CD2.1 Permitted Uses

- (1) In the CD2 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Licence-Not-Required
 - (c) Detached Dwelling Units
 - (d) Farm Stand
 - (e) Home Occupation, Minor
 - (f) Urban Agriculture

CD2.2 Density

(1) Density shall not exceed 34 units per hectare.

CD2.3 Minimum Lot Area

(1) Minimum lot area shall be 1,850.0 square metres.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD2.4 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres.

CD2.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 70%.

CD2.6 Maximum Height and Storeys

- (1) Maximum Height: 7.5 metres
- (2) Maximum Storeys: 2

CD2.7 Minimum Setbacks

- (1) Front Setback: 9.0 metres
- (2) Rear Setback: 3.0 metres
- (3) Side Setback: 1.5 metres
- (4) Exterior Side Setback: 2.45 metres

CD2.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not occupy more than 2/3 of the width of the rear yard; and
 - (d) not be located in the front yard.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD3 – Congregate Care

For the purposes of the CD3 zone, Areas A, B, and C are as shown in Figure 16-3.

CD3.1 Permitted Uses

- (1) In the CD3 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Area A:
 - i. Accessory Buildings and Structures
 - ii. Accommodation, Hotel
 - iii. Care Facility, Child
 - iv. Care Facility, Community
 - v. Care Facility, Licence-Not-Required
 - vi. Caretaker Suite
 - vii. Cultural and Community Services
 - viii. Education Services
 - ix. Entertainment Facility
 - x. Farm Stand
 - xi. Food Services
 - xii. Health Services
 - xiii. Home Occupation, Minor
 - xiv. Licensed Premises
 - xv. Parking Lot
 - xvi. Personal Services
 - xvii. Plant Nursery
 - xviii. Professional Services, Internal-Facing
 - xix. Professional Services, Public-Facing
 - xx. Retail Sales
 - xxi. Urban Agriculture
 - (b) Areas B and C:
 - xxii. Accessory Buildings and Structures
 - xxiii. Care Facility, Community
 - xxiv. Emergency and Protective Services
 - xxv. Parking Lot

CD3.2 Density

(1) A maximum of one caretaker suite and one sleeping unit to be used as a guest suite are permitted per parcel.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD3.3 Minimum Lot Area

(1) Minimum lot area shall be 8,000.0 square metres.

CD3.4 Maximum Lot Coverage

- (1) Areas A and B: n/a
- (2) Area C: 50%

CD3.5 Maximum Height

- (1) Areas A and B: 13.5 metres
- (2) Area C: 17.5 metres

CD3.6 Minimum Setbacks

- (1) Areas A:
 - (a) Front Setback: n/a
 - (b) Rear Setback: 7.5 metres
 - (c) Side Setback: n/a
 - (d) Exterior Side Setback: n/a
- (2) Areas B and C:
 - (a) Front Setback: 8.0 metres
 - (b) Rear Setback: 7.0 metres
 - (c) Side Setback (abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone): 4.0 metres
 - (d) Site Setback (all other zones): n/a
 - (e) Exterior Side Setback: n/a

CD3.7 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) other than unenclosed gazebos, not be located in the front yard; and
 - (d) not be located closer than 4.0 metres from a rear lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-3. Congregate Care Sub-Areas

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD4 - Lazo Marsh

CD4.1 Permitted Uses

- (1) In the CD4 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Accommodation, Bed and Breakfast
 - (c) Accommodation, Vacation Rental
 - (d) Care Facility, Child
 - (e) Care Facility, Licence-Not-Required
 - (f) Coach House
 - (g) Dwelling Units
 - (h) Farm Stand
 - (i) Home Occupation, Minor
 - (j) Urban Agriculture

CD4.2 Density

(1) Density shall not exceed four units per lot.

CD4.3 Minimum Lot Area

(1) Minimum lot area shall be 1,400.0 square metres.

CD4.4 Minimum Lot Width

(1) Minimum lot width shall be 27.0 metres.

CD4.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 20%.

CD4.6 Maximum Height

(1) Maximum Height: 9.0 metres

CD4.7 Minimum Setbacks

(1) Front Setback: 7.5 metres

(2) Rear Setback: 7.5 metres

(3) Side Setback: 2.0 metres

- (4) Exterior Side Setback (abutting Guthrie Road): 7.5 metres
- (5) Exterior Side Setback (abutting any other highway): 3.5 metres

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD4.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not exceed 100.0 square metres of combined floor area;
 - (d) not occupy more than 2/3 of the width of the rear yard;
 - (e) not be located in the front yard; and
 - (f) not be located closer than 1.2 metres from a rear or side lot line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD5 – 1829 Beaufort Avenue

For the purposes of the CD5 zone, Areas A, B, and C are as shown in Figure 16-4.

CD5.1 Permitted Uses

- (1) In the CD5 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Area A:
 - i. Accessory Structures
 - ii. Care Facility, Child
 - iii. Care Facility, Licence-Not-Required
 - iv. Caretaker Suite
 - v. Cultural and Community Services
 - vi. Farm Stand
 - vii. Food Services
 - viii. Health Services
 - ix. Licensed Premises
 - x. Parking Lot
 - xi. Personal Services
 - xii. Plant Nursery
 - xiii. Professional Services, Internal-Facing
 - xiv. Professional Services, Public-Facing
 - xv. Retail Sales
 - xvi. Veterinary Services, Minor
 - (b) Area B:
 - i. Accessory Structures, secondary to a principal use in Area A or Area C
 - (c) Area C:
 - i. Accessory Structures
 - ii. Home Occupation, Minor
 - iii. Three or more attached Dwelling Units
 - iv. Parking Lot

CD5.2 Density

- (1) Areas A and B: n/a
- (2) Area C: Density shall not exceed 18 units per hectare.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(a) Despite **Section CD5.2(2)**, where 10% of units are designed and constructed as special needs housing units compliant with the adaptable housing standards set out in the British Columbia Building Code, then density shall not exceed 85 units per hectare.

CD5.3 Minimum Lot Area

(1) Minimum lot area shall be 4,000.0 square metres.

CD5.4 Minimum Lot Width

(1) Minimum lot width shall be 40.0 metres.

CD5.5 Maximum Lot Coverage

- (1) Areas A and B: n/a
- (2) Area C: Lot coverage including impervious surfaces shall not exceed 60%.

CD5.6 Maximum Height

- (1) Area A: 13.3 metres as measured from 11.411 metres of geodetic elevation.
- (2) Area B: 12.1 metres as measured from 11.411 metres of geodetic elevation.
- (3) Area C: 12.1 metres measured from 11.411 metres of geodetic elevation, except the maximum height shall be 5.5 metres measured from 11.411 metres of geodetic elevation within the area measured from the front lot line to a point 20.0 metres north of and parallel to the front line.

CD5.7 Minimum Setbacks

- (1) Front Setback (abutting Beaufort Avenue): n/a
- (2) Front Setback (abutting any other highway): 8.4 metres
- (3) Rear Setback: n/a
- (4) Side Setback:
 - (a) Area A: 0.6 metres
 - (b) Areas B and C: 3.5 metres
- (5) Exterior Side Setback: n/a

CD5.8 Conditions

- (1) Minor veterinary services shall:
 - (a) not be located within a building containing more than one dwelling unit; and
 - (b) shall not include outdoor boarding or kenneling of animals.
- (2) Health services shall not be located below 19.5 metres of geodetic elevation.
- (3) Internal-facing professional services fronting Beaufort Avenue shall not be permitted between 16.0 and 19.5 metres of geodetic elevation.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(4) Enclosed parking lots shall not be located below 16.0 metres of geodetic elevation.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-4. 1829 Beaufort Avenue Sub-Areas

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD6 - 1700 Balmoral Avenue

CD6.1 Permitted Uses

- (1) In the CD6 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Structures
 - (b) Three or More Attached Dwelling Units
 - (c) Home Occupation, Minor

CD6.2 Density

- (1) Density shall not exceed 170 units per lot.
- (2) A maximum of one principal building shall be permitted per lot.

CD6.3 Minimum Lot Area

(1) Minimum lot area shall be 2,650.0 square metres.

CD6.4 Minimum Lot Width

(1) Minimum lot width shall be 50.0 metres.

CD6.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 65%.

CD6.6 Maximum Height and Storeys

- (1) Maximum Height: 19.0 metres
- (2) Maximum storey: 5

CD6.7 Minimum Setbacks

- (1) As shown in **Figure 16-5**:
 - (a) Front Setback: 7.0 metres for a maximum 16.0 metres of continuous building frontage as measured from the west property line, and 17.0 metres for the remaining building frontage
 - (b) Rear Setback: 6.0 metres
 - (c) Side Setback: 3.5 metres


CD6.8 Conditions

- (1) The floor area of the first storey shall not exceed 1,400.0 square metres.
- (2) The floor area of the second storey shall not exceed 900.0 square metres.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(3) All parking areas and areas used for the temporary storage of garbage or recycling produced on the lot shall be located below finished grade.





1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD7 - Shamrock Place

CD7.1 Permitted Uses

- (1) In the CD7 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Three or more attached Dwelling Units
 - (c) Home Occupation, Minor

CD7.2 Density

(1) Density shall not exceed 86 units per lot.

CD7.3 Minimum Lot Area

(1) Minimum lot area shall be 900.0 square metres.

CD7.4 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres.

CD7.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 70%.

CD7.6 Maximum Height

(1) Maximum Height: 10.0 metres

CD7.7 Minimum Setbacks

(1) Front Setback: 12.0 metres

(2) Rear Setback: 7.5 metres

(3) Side Setback: 3.5 metres

(4) Exterior Side Setback: 3.5 metres

CD7.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 20% of lot coverage;
 - (c) not occupy more than 2/3 of the width of the rear yard;
 - (d) not be located in the front yard; and
 - (e) not be located closer than 3.5 metres from a rear lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD8 – Average 4650 m² Parcel - Single-Family

For the purposes of the CD8 zone, Areas A, B, and C are as shown in Figure 16-6.

CD8.1 Permitted Uses

- (1) In the CD8 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Accommodation, Bed and Breakfast
 - (c) Accommodation, Vacation Rental
 - (d) Care Facility, Licence-Not-Required
 - (e) Detached Dwelling Units
 - (f) Farm Stand
 - (g) Home Occupation, Minor
 - (h) Urban Agriculture

CD8.2 Density

(1) Not more than one principal building shall be permitted per lot.

CD8.3 Minimum Lot Area

- (1) Area A: 2,600.0 square metres
- (2) Area B: 5,400.0 square metres
- (3) Area C: 7,000.0 square metres

CD8.4 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres.

CD8.5 Maximum Lot Coverage

- (1) Area A: 15%
- (2) Area B: 10%
- (3) Area C: 7%

CD8.6 Maximum Height

(1) Maximum Height: 9.0 metres

CD8.7 Minimum Setbacks

(1) Front Setback: 12.0 metres

(a) Area A: as shown in Figure 16-6

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (b) Areas B and C: 9.0 metres
- (2) Rear Setback: 7.5 metres
 - (a) Area A: as shown in Figure 16-6
 - (b) Areas B and C: 9.0 metres
- (3) Side Setback: 3.0 metres
- (4) Exterior Side Setback (where lot area is < 5,000.0 square metres): 3.0 metres
- (5) Exterior Side Setback (where lot area is ≥ 5,000.0 square metres): equal to the front setback

CD8.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed 150.0 square metres of combined floor area on lots ≥ 5,000.0 square metres in lot area;
 - (c) not exceed 60.0 square metres of combined floor area on lots < 5,000.0 square metres in lot area;
 - (d) not occupy more than 2/3 of the width of the rear yard;
 - (e) not be located in a front yard; and
 - (f) not be located closer than 3.0 metres from a rear lot lines.




Figure 16-6. Average 4650 m2 Parcel - Single-Family Sub-Areas

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD9 - 1245 and 1263 Guthrie Road

For the purposes of the CD9 zone, Areas A1, A2, B, and C are as shown in Figure 16-7.

CD9.1 Permitted Uses

- (1) In the CD9 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Areas A1, A2, and B:
 - i. Accessory Buildings and Structures
 - ii. Home Occupation, Minor
 - iii. Two or more Attached Dwelling Units
 - (b) Area C:
 - i. Accessory Structures
 - ii. Care Facility, Child
 - iii. Care Facility, Community
 - iv. Care Facility, Licence-Not-Required
 - v. Dwelling Units
 - vi. Food Services
 - vii. Health Services
 - viii. Licensed Premises
 - ix. Personal Services
 - x. Professional Services, Internal-Facing
 - xi. Professional Services, Public-Facing
 - xii. Home Occupation, Minor

CD9.2 Density

- (1) For Area A1, density shall not exceed 8 units per hectare.
 - (a) Despite **Section CD9.2(1)**, where 10% of units are designed and constructed as special needs housing units compliant with the adaptable housing standards set out in the British Columbia Building Code, then density shall not exceed 42 units per hectare.
- (2) For Area A2, density shall not exceed 11 units per hectare.
 - (a) Despite **Section CD9.2(2)**, where 10% of units are designed and constructed as special needs housing units compliant with the adaptable housing standards set out in the British Columbia Building Code, then density shall not exceed 38 units per hectare.
- (3) For Area B, density shall not exceed 62 units per hectare.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD9.3 Minimum Lot Area

- (1) Area A1: 3,860.0 square metres
- (2) Areas A2 and C (combined): 4,360.0 square metres
- (3) Area B: 645.0 square metres

CD9.4 Maximum Lot Coverage

- (1) Area A1: Lot coverage including impervious surfaces shall not exceed 65%.
- (2) Area A2: Lot coverage including impervious surfaces shall not exceed 70%.
- (3) Area B: Lot coverage including impervious surfaces shall not exceed 70%.
- (4) Area C: Lot coverage including impervious surfaces shall not exceed 65%.

CD9.5 Maximum Height and Storeys

- (1) Areas A1, A2, and B:
 - (a) Maximum Height: 10.0 metres
 - (b) Maximum Storeys: 3
- (2) Area C:
 - (a) Maximum Height: 12.0 metres
 - (b) Maximum Storeys: 2

CD9.6 Minimum Setbacks

- (1) The minimum setback of buildings from property lines, Beckton Drive, Noel Avenue and Guthrie Road shall be as shown in **Figure 16-7**.
- (2) In the event that a building having a different footprint from that shown in **Figure 16-7** is constructed in any Area, the siting of the building in relation to any lot lines abutting Beckton Drive, Noel Avenue, and Guthrie Road shall be such that equivalent percentages of the building length, plus or minus 10%, are set back from the lot line or highway that the building fronts by at least the distances specified in **Figure 16-7** and no area directly between a building and a highway that the building fronts is increased or reduced in area by more than 10%, and there must be at least as many articulations in the façade of any building as are shown in **Figure 16-7**. For illustration, in respect of the building in the southerly portion of Area A1, at least 1/3 of the building length must be set back at least 6.70 metres; at least 1/3 must be set back at least 4.69 metres; and at least 1/3 must be set back at least 2.55 metres, in all cases plus or minus 10% of the proportion of the building length.

CD9.10 Projections into Setbacks

(1) Porches may project into a required setback, provided no porch or an eave attached to a porch is more than 0.15 metres from a lot line abutting Beckton Drive, Noel Avenue, or Guthrie Road.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD9.11 Conditions

- (1) For Area A1, vehicle accesses onto Guthrie Road shall not exceed one.
- (2) For Areas A2, B, and C, vehicle accesses onto Guthrie Road shall not exceed one.




Figure 16-7. 1245 and 1263 Guthrie Road Sub-Areas and Setbacks

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD10 - 640 Anderton Commercial/Mini Storage

For the purposes of the CD10 zone, Areas A and B are as shown in Figure 16-8.

CD10.1 Permitted Uses

- (1) In the CD10 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Area A:
 - i. Accessory Structures
 - ii. Farm Stand
 - iii. Food Services
 - iv. Health Services
 - v. Licensed Premises
 - vi. Personal Services
 - vii. Professional Services, Internal-Facing
 - viii. Retail, Cannabis
 - ix. Retail Sales
 - x. Veterinary Services, Minor
 - (b) Area B:
 - i. Accessory Structures
 - ii. Storage Facility, Indoor
 - iii. Storage Facility, Warehouse

CD10.2 Minimum Lot Area

(1) Minimum lot area shall be 6,000.0 square metres.

CD10.3 Minimum Lot Width

(1) Minimum lot width shall be 18.0 metres.

CD10.4 Maximum Lot Coverage

(1) Lot coverage shall not exceed 35%.

CD10.5 Maximum Height

(1) Maximum Height: 10.0 metres

CD10.6 Minimum Setbacks


(1) Minimum setbackss shall be as shown in **Figure 16-8**.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD10.7 Conditions

- (1) Minor veterinary services shall:
 - (a) not be located within a building containing more than one dwelling unit; and
 - (b) shall not include outdoor boarding or kenneling of animals.
- (2) Warehouse and indoor storage facilities shall:
 - (a) only be permitted where principal uses ≥ 230.0 square metres of floor area are located within Area A; and
 - (b) have no room exceeding 130.0 square metres of floor area, excluding mezzanines.
- (3) For Area A, no parking area shall be located between a building and a highway that the building fronts.
- (4) Despite **Section 8.2**, the location of required parking and loading spaces shall be as shown in **Figure 16-9**.

Figure 16-8. 640 Anderton Commercial/Mini Storage Sub-Areas and Setbacks



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-9. 640 Anderton Commercial/Mini Storage Parking and Loading

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD11 - 700 Lancaster Way

For the purposes of the CD11 zone, Areas A, B, and C are as shown in Figure 16-10.

CD11.1 Permitted Uses

- (1) In the CD11 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Areas A and B:
 - i. Accessory Buildings and Structures
 - ii. Home Occupation, Minor
 - iii. Attached Dwelling Units
 - (b) Area B:
 - i. Accessory Buildings and Structures
 - ii. Home Occupation, Minor
 - iii. Three or More Attached Dwelling Units

CD11.2 Density

- (1) Density shall not exceed 11 units per hectare.
 - (a) Despite **Section CD11.2(1)**, where 10% of units are designed and constructed as special needs housing units compliant with the adaptable housing standards set out in the British Columbia Building Code, then density shall not exceed 42 units per hectare.

CD11.3 Minimum Lot Area

(1) Minimum lot area shall be 15,500.0 square metres.

CD11.4 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 70%.

CD11.5 Maximum Height and Storeys

- (1) Area A:
 - (a) Maximum Height: 11.5 metres
 - (b) Maximum Storeys: 2
- (2) Area B:
 - (a) Maximum Height: 10.5 metres
 - (b) Maximum Storeys: 2
- (3) Area C:
 - (a) Maximum Height: 12.5 metres

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(b) Maximum Storeys: 3

CD11.6 Minimum Setbacks


(1) Minimum setbacks shall be as shown in **Figure 16-10**.

CD11.7 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 3.0 metres in height;
 - (b) not exceed 10.0 square metres of floor area; and
 - (c) not be located in a front, side, or rear yard.

CD11.8 Conditions

(1) No parking area shall be located between a building and a highway that the building fronts.



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD12 - Single Family Campgrounds

CD12.1 Permitted Uses

- (1) In the CD12 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Accommodation, Bed and Breakfast
 - (c) Accommodation, Campground
 - (d) Accommodation, Vacation Rental
 - (e) Coach Houses
 - (f) Dwelling Units
 - (g) Farm Stand
 - (h) Home Occupation, Minor
 - (i) Secondary Suites
 - (j) Urban Agriculture

CD12.2 Density

- (1) No more than one principal building shall be permitted per lot.
- (2) A maximum of one dwelling unit is permitted per lot where such dwelling unit is secondary to a principal campground accommodation.

CD12.3 Minimum Lot Area

(1) Minimum lot area shall be 5,000.0 square metres.

CD12.4 Minimum Lot Width

(1) Minimum lot width shall be 20.0 metres.

CD12.5 Maximum Lot Coverage

(1) Lot coverage shall not exceed 30% or 500.0 square metres, whichever is less.

CD12.6 Maximum Height and Storeys

(1) Maximum Height: 9.0 metres

(2) Maximum Storeys: 2

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD12.7 Minimum Setbacks

- (1) Front Setback: 7.5 metres
- (2) Rear Setback: 7.5 metres
- (3) Side Setback (campground accommodation): 3.5 metres
- (4) Side Setback (all other uses): 2.0 metres
- (5) Exterior Side Setback: 3.5 metres

CD12.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not exceed 60.0 square metres of combined floor area;
 - (d) not occupy more than 2/3 of the width of the rear yard;
 - (e) not be located in the front yard; and
 - (f) not be located closer than 1.2 metres from a rear or side lot line.

CD12.9 Conditions

- (1) Campground accommodations shall:
 - (a) not be permitted on a lot < 25,000.0 square metres in lot area;
 - (b) not exceed 61 individual campsites; and
 - (c) not be permitted on any lot where another principal use is located.
- (2) Coach houses shall:
 - (a) not be permitted on a lot where there is a secondary suite;
 - (b) not be permitted on a lot < 500.0 square metres in lot area;
 - (c) be located in a rear yard;
 - (d) not be permitted on a lot where the rear yard is less than 15.0 metres in width;
 - (e) not exceed a maximum of 10% of lot coverage;
 - (f) in combination with the combined floor area of all other accessory buildings, not exceed:
 - i. 50.0 square metres of floor area where lot area is < 650.0 square metres;
 - ii. 60.0 square metres of floor area where lot area is 650.0-1,000.0 square metres; and
 - iii. 70.0 square metres of floor area where lot area is ≥ 1,000.0 square metres;
 - (g) for the purpose of sub-section (f) only, floor area shall:
 - i. include garages and carports, excluding carports attached to a coach house to a maximum of 20.0 square metres and garages and carports forming part of a singledetached principal dwelling unit;
 - ii. exclude one accessory building less than 10.0 square metres of floor area; and

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- iii. exclude one room less than 40.0 square metres of floor area which is completely contained within the associated principal dwelling unit and used by the residents of the coach house for storage, vehicle parking, or workshop purposes;
- (h) not exceed 10.0 square metres of roofed patio and deck floor area, where the roofed floor area is measured from the exterior of supporting walls or columns to the eave or gutter whichever is greater;
- (i) not exceed in height:
 - i. 4.5 metres where the floor area of the coach house is < 50.0 square metres; and
 - ii. 5.5 metres where the floor area of the coach house is \geq 50.0 square metres; where
- (j) not be located closer than 4.0 metres to a principal building; and
- (k) not be located closer than 2.0 metres from a rear lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD13 – 221 Glacier View Drive

CD13.1 Permitted Uses

- (1) In the CD13 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings
 - (b) Dwelling Units
 - (c) Home Occupation, Minor

CD13.2 Density

- (1) Density shall not exceed 21 units per hectare.
- (2) Single-detached principal dwelling units shall comprise a maximum of 50% of all dwelling units on a lot.

CD13.3 Minimum Lot Area

(1) Minimum lot area shall be 3,000.0 square metres.

CD13.4 Minimum Lot Width

(1) Minimum lot width shall be 60.0 metres.

CD13.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 55%.

CD13.6 Maximum Height

(1) Maximum Height: 10.0 metres

CD13.7 Minimum Setbacks

- (1) Lot Line Abutting Glacier View Drive: 5.0 metres
- (2) Lot Line Abutting Comox Avenue: 5.0 metres
- (3) Side Setback (portion of a building used as a garage or carport): 2.0 metres
- (4) Side Setback (all other portions of a building): 4.5 metres

CD13.8 Development Regulations for Accessory Buildings

- (1) A maximum of one accessory building is permitted per lot, provided such accessory building shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed 200.0 square metres of floor area;
 - (c) not occupy more than 2/3 of the width of the rear yard;

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (d) not be located in the front or rear yard; and
- (e) not be located closer than 2.0 metres from a side lot line.

CD13.9 Conditions

- (1) Despite **Section 5.3.2**, awnings, balconies, bay windows, canopies, chimneys, cornices, eaves, gutters, landings, leaders, ornamental features, pilasters, porches, sills, stairs, sunshades or steps may project up to 1.75 metres into a required front, rear, or exterior side setback, and up to 0.8 metres into a required interior side setback.
- (2) Despite **Section 8**:
 - (a) the number of required parking spaces per principal dwelling unit shall be 1.75; and
 - (b) the location of required parking and loading spaces shall be as shown in Figure 16-11.



Figure 16-11. 221 Glacier View Drive Parking and Loading

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

CD14 - 560 Colby Road

CD14.1 Permitted Uses

- (1) In the CD14 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Accommodation, Bed and Breakfast
 - (c) Coach Houses
 - (d) Dwelling Units
 - (e) Farm Stand
 - (f) Home Occupation, Minor
 - (g) Secondary Suites
 - (h) Urban Agriculture

CD14.2 Density

- (1) Density shall not exceed four units per lot.
- (2) A maximum of one dwelling unit is permitted per lot where such dwelling unit is secondary to a principal campground accommodation.

CD14.3 Minimum Lot Area

(1) Minimum lot area shall be 2,500.0 square metres.

CD14.4 Minimum Lot Width

(1) Minimum lot width shall be 22.0 metres.

CD14.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 20%.

CD14.6 Maximum Height

(1) Maximum Height: 9.0 metres

CD14.7 Minimum Setbacks

(1) Front Setback: as shown in Figure 16-12

(2) Rear Setback: as shown in **Figure 16-12**

(3) Side Setback: 2.0 metres

(4) Exterior Side Setback: n/a

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD14.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed 100.0 square metres of combined floor area;
 - (c) not occupy more than 2/3 of the width of the rear yard;
 - (d) not be located in the front yard;
 - (e) not be located closer than 48.0 metres from a rear lot line;
 - (f) not be located closer than 1.2 metres from a side lot line; and
 - (g) maintain a 2.0 metre side setback from the front lot line to a point 3.0 metres into the rear yard as shown in **Figure 16-13.**

CD14.9 Conditions

- (1) Coach houses shall:
 - (a) be located in a rear yard;
 - (b) not be permitted on a lot where the rear yard is less than 15.0 metres in width;
 - (c) not exceed a maximum of 10% of lot coverage;
 - (d) in combination with the combined floor area of all other accessory buildings, not exceed:
 - i. 50.0 square metres of floor area where lot area is < 650.0 square metres;
 - ii. 60.0 square metres of floor area where lot area is 650.0-1,000.0 square metres; and
 - iii. 70.0 square metres of floor area where lot area is ≥ 1,000.0 square metres;
 - (e) for the purpose of sub-section (d) only, floor area shall:
 - i. include garages and carports, excluding carports attached to a coach house to a maximum of 20.0 square metres and garages and carports forming part of a singledetached principal dwelling unit;
 - ii. exclude one accessory building less than 10.0 square metres of floor area; and
 - iii. exclude one room less than 40.0 square metres of floor area which is completely contained within the associated principal dwelling unit and used by the residents of the coach house for storage, vehicle parking, or workshop purposes;
 - (f) not exceed 10.0 square metres of roofed patio and deck floor area, where the roofed floor area is measured from the exterior of supporting walls or columns to the eave or gutter whichever is greater;
 - (g) not exceed in height:
 - i. 4.5 metres where the floor area of the coach house is < 50.0 square metres; and
 - ii. 5.5 metres where the floor area of the coach house is ≥ 50.0 square metres; where
 - (h) not be located closer than 4.0 metres to a principal building; and
 - (i) not be located closer than 2.0 metres from a rear lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development






Figure 16-12. 560 Colby Road Setbacks







1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD15 - Lot 2 Plan 43630

CD15.1 Permitted Uses

- (1) In the CD15 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Three or More Attached Dwelling Units
 - (c) Home Occupation, Minor

CD15.2 Density

(1) Density shall not exceed 40 units per hectare.

CD15.3 Minimum Lot Area

(1) Minimum lot area shall be 2,000.0 square metres.

CD15.4 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres.

CD15.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 65%.

CD15.6 Maximum Height

(1) Maximum Height: 10.0 metres

CD15.7 Minimum Setbacks


- (1) Front Setback (as measured from any lot line abutting Wallace Avenue): as shown in Figure 16-14
- (2) All Other Setbacks: as shown in Figure 16-15

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD15.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not occupy more than 2/3 of the width of the rear yard;
 - (d) not be located in a front or exterior side yard;
 - (e) not be located in a side yard abutting the lot legally described as Section 1, Comox District Except that Part Included In AFB 8.793.6122, AFB 9.219.6773A, AFB 9.425.7071A, AFB 9.669.7408A, AFB 9.881.7683A, AFB 9.883.7642A, AFB 10.80.7872A, AFB 10.230.8021A and AFB 10.232.8021A More Particularly Described As Shown Coloured Red on Plan 425 R/W and Said to Contain .102 Acres and the 30 Foot Wide Parcel Labelled "Remainder of Sec. 1" on Said Plan Together With the 60' Wide Portion of Section 1 Included in Comox Avenue (2006 Comox Avenue); and
 - (f) not be located closer than 2.0 metres from a side lot lines.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-15. Lot 2 Plan 43630 - All Other Setbacks

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD16 – 1770 Comox Avenue

CD16.1 Permitted Uses

- (1) In the CD16 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings
 - (b) Cultural and Community Services
 - (c) Dwelling Units
 - (d) Entertainment Facility
 - (e) Farm Stand
 - (f) Food Services
 - (g) Health Services
 - (h) Home Occupation, Minor
 - (i) Licensed Premises
 - (j) Parking Lot
 - (k) Personal Services
 - (I) Plant Nursery
 - (m) Professional Services, Internal-Facing
 - (n) Professional Services, Public-Facing
 - (o) Retail, Cannabis
 - (p) Retail, Liquor
 - (q) Retail Sales
 - (r) Urban Agriculture

CD16.2 Minimum Lot Area

(1) Minimum lot area shall be 2,000.0 square metres.

CD16.3 Maximum Height

- (1) Maximum Height: 19.0 metres
- (2) Maximum Storeys: 5

CD16.4 Development Regulations for Accessory Buildings

- (1) Accessory buildings shall:
 - (a) not exceed 3.5 metres in height;
 - (b) not exceed a maximum of 15% of lot coverage; and
 - (c) not be located in a front yard.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD16.5 Conditions

- (1) Dwelling units shall be located above a non-residential use occurring on the first storey;
- (2) Commercial units shall not be located above the first storey;
- (3) Liquor retail shall only be permitted where a licensed premises is also located on the same lot.
- (4) Despite **Section 8**, the number of required parking spaces per dwelling unit shall be 0.85.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD17 – Public Utility Buildings

CD17.1 Permitted Uses

- (1) In the CD17 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Structures
 - (b) Storage, Outdoor
 - (c) Utilities

CD17.2 Minimum Lot Area

(1) Minimum lot area shall be 900.0 square metres.

CD17.3 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres.

CD17.4 Maximum Lot Coverage

(1) Lot coverage shall not exceed 50%.

CD17.5 Maximum Height

(1) Maximum Height: 10.0 metres

CD17.6 Minimum Setbacks

- (1) Front Setback: 7.5 metres
- (2) Rear Setback (abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone): 7.5 metres
- (3) Rear Setback (abutting a lot in any other zone): 3.0 metres
- (4) Side Setback (abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone): 6.0 metres
- (5) Side Setback (abutting a lot in any other zone): 3.0 metres
- (6) Exterior Side Setback: 3.0 metres

CD17.7 Conditions

- (1) Outdoor storage shall:
 - (a) not include used, partially completed, damaged, or obviously unserviceable products, goods, machinery, equipment, tools, boats, vehicles, or other such articles;
 - (b) not be located in a front yard; and
 - (c) not be located closer than 3.0 metres to any lot line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD18 - 618 Anderton Road

CD18.1 Permitted Uses

- (1) In the CD18 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Child
 - (c) Cultural and Community Services
 - (d) Dwelling Units
 - (e) Farm Stand
 - (f) Food Services
 - (g) Health Services
 - (h) Home Occupation, Minor
 - (i) Licensed Premises
 - (j) Personal Services
 - (k) Professional Services, Internal-Facing
 - (I) Professional Services, Public-Facing
 - (m) Retail, Cannabis
 - (n) Retail Sales
 - (o) Urban Agriculture

CD18.2 Density

(1) Density shall not exceed 95 units per hectare.

CD18.3 Minimum Lot Area

(1) Minimum lot area shall be 8,500.0 square metres.

CD18.4 Minimum Lot Width

(1) Minimum lot width shall be 100.0 metres.

CD18.5 Maximum Lot Coverage

(1) Lot coverage shall not exceed 35%.

CD18.6 Maximum Height and Storeys

(1) Maximum Height: 13.0 metres

(2) Maximum Storeys: 4

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD18.7 Minimum Setbacks

- (1) Front Setback:
 - (a) Dwelling Units on the First Storey: 4.0 metres
 - (b) Dwelling Units above the First Storey: 4.0 metres
 - (c) All Other Uses on the First Storey: n/a
- (2) Rear Setback: 20.0 metres
- (3) Side Setback:
 - (a) Abutting a Lot in a Low-Density Residential or Multi-Unit Residential Zone: 12.0 metres
 - (b) Abutting a Lot in Any Other Zone: 2.0 metres

CD18.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not be located in a front yard; and
 - (d) not be located closer than 2.0 metres from any rear or side lot line abutting a lot in a **Low- Density Residential** or **Multi-Unit Residential** zone.

CD18.9 Conditions

- (1) Along any elevation of a building fronting Anderton Road, for a distance of not less than 60.0 metres measured parallel to Anderton Road, dwelling unit and accessory uses thereto other than amenity areas or areas used for secondary professional services up to 175.0 square metres of floor area, shall not be permitted on the first storey for a depth of 10.0 metres, measured perpendicularly from Anderton Road.
- (2) Non-residential uses shall not be permitted located above the first storey.
- (3) Despite **Section 8**, the number of required parking spaces per dwelling unit shall be 1.0.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD19 – 2310 Guthrie Road

For the purposes of the CD19 zone, Areas A and B are as shown in Figure 16-16.

CD19.1 Permitted Uses

- (1) In the CD19 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Area A:
 - i. Accessory Buildings and Structures
 - ii. Cultural and Community Services
 - iii. Food Services
 - iv. Health Services
 - v. Home Occupation, Minor
 - vi. Personal Services
 - vii. Professional Services, Internal-Facing
 - viii. Professional Services, Public-Facing
 - ix. Retail Sales
 - x. Three or More Attached Dwelling Units
 - (b) Area B:
 - i. Accessory Buildings and Structures
 - ii. Three or More Attached Dwelling Units

CD19.2 Density

(1) Density shall not exceed 50 units per hectare.

CD19.3 Minimum Lot Area

(1) Minimum lot area shall be 5,000.0 square metres.

CD19.4 Minimum Lot Width

(1) Minimum lot width shall be 40.0 metres.

CD19.5 Maximum Height and Storeys

(1) Maximum Height: 11.5 metres

(2) Maximum Storeys: 3

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD19.6 Minimum Setbacks

(1) Front Setback: 2.5 metres

(2) Rear Setback: 3.0 metres

(3) Side Setback:

(a) Abutting the Lots Legally Described as Lots 1-6, District Lot 170 Comox District, Plan EPP24381 (801-849 Tracker Place): 6.0 metres

(b) Abutting a Lane: 0.75 metres(c) All Other Instances: 3.0 metres

(4) Exterior Side Setback: n/a

CD19.7 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.0 metres in height; and
 - (b) not exceed 40.0 square metres of combined floor area.

CD19.8 Conditions

- (1) No retail sales or personal services establishment shall exceed 120.0 square metres of floor area.
- (2) Non-residential uses shall only be permitted on the first storey of any building fronting Guthrie Road for a depth of 6.0 metres as measured from the building face.
- (3) Despite **Section 5.3.2**, awnings, balconies, bay windows, canopies, chimneys, cornices, decks, eaves, gutters, landings, leaders, ornamental features, pilasters, porches, sills, stairs, or sunshades, may project up to 2.0 metres into a required front or interior side setback, and up to 0.6 metres into a required rear setback.
- (4) Despite **Section 8**,
 - (a) the number of required parking spaces per dwelling unit shall be 1.75;
 - (b) the minimum number of required parking spaces for non-residential uses shall be 1.0 space per 40.0 square metres of floor area; and
 - (c) barrier-free parking spaces may be located more than 10.0 metres from an accessible entrance of the use which it serves.
- (5) No more than one access driveway shall be permitted per lot.
- (6) Vehicle access onto Guthrie Road shall not be permitted.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-16. 2310 Guthrie Road Sub-Areas

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD20 – Aspen-Murrelet

For the purposes of the CD20 zone, Areas A and B are as shown in Figure 16-17.

CD20.1 Permitted Uses

- (1) In the CD20 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Area A:
 - i. Accessory Buildings and Structures
 - ii. Home Occupation, Minor
 - iii. Three or More Attached Dwelling Units
 - (b) Area B:
 - i. Accessory Buildings and Structures
 - ii. Care Facility, Child
 - iii. Cultural and Community Services
 - iv. Food Services
 - v. Health Services
 - vi. Home Occupation, Minor
 - vii. Personal Services
 - viii. Professional Services, Internal-Facing
 - ix. Professional Services, Public-Facing
 - x. Retail Sales
 - xi. Three or More Attached Dwelling Units

CD20.2 Density

- (1) Area A: Density shall not exceed 120 units per hectare.
- (2) Area B: Density shall not exceed 75 units per hectare.

CD20.3 Minimum Lot Area

- (1) Area A: 15,000.0 square metres
- (2) Area B: 3,000.0 square metres

CD20.4 Minimum Lot Width

- (1) Area A: 100.0 metres
- (2) Area B: 30.0 metres

CD20.5 Maximum Lot Coverage

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(1) Lot coverage shall not exceed 35%.

CD20.6 Maximum Height

- (1) Area A: 14.0 metres as measured from 69.90 metres of geodetic elevation, excluding photovoltaic panels and supporting structures provided they do not exceed the maximum permitted height by more than 1.0 metre.
- (2) Area B: 14.0 metres as measured from 70.10 metres of geodetic elevation, excluding photovoltaic panels and supporting structures provided they do not exceed the maximum permitted height by more than 1.0 metre.

CD20.7 Minimum Setbacks

As shown in Figure 16-18:

- (1) Front Setback:
 - (a) Area A: 2.8 metres
 - (b) Area B: 2.8 metres, excluding driveway retaining walls
- (2) Rear Setback: n/a
- (3) Side Setback:
 - (a) Area A (abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone): 9.0 metres
 - (b) Area A (abutting a lot in any other zone): 6.0 metres
 - (c) Area B: 6.0 metres
- (4) Exterior Side Setback: 3.0 metres

CD20.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.5 metres in height;
 - (b) not exceed a maximum of 2% of lot coverage;
 - (c) not be located in the front yard; and
 - (d) not be located closer than 9.0 metres from a side lot line abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.

CD20.9 Conditions

- (1) In Area B, dwelling units and associated accessory uses, other than shared amenity areas, shall not be located on or below the first storey.
- (2) Non-residential uses shall not be permitted above the first storey.
- (3) Permitted uses shall be limited to accessory uses:
 - (a) For Area A, below 69.90 metres of geodetic elevation; and
 - (b) For Area B, below 70.10 metres of geodetic elevation.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (4) No solid waste collection or recycling collection areas shall be located within 20.0 metres of any lot line abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.
- (5) Despite **Section 5.3.2**.:
 - (a) For Area A:
 - awnings, balconies, bay windows, canopies, chimneys, cornices, decks, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades, may project up to 1.2 metres into a required front or interior side setback;
 - ii. porches may project up to 1.2 metres into a required interior side setback;
 - iii. porches, stairs and landings may project up to 2.4 metres into required front setback; and
 - iv. ornamental features may project up to 1.8 metres into required front setback.
 - (b) For Area B:
 - i. awnings, balconies, bay windows, canopies, chimneys, cornices, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades, may project up to 1.2 metres into a required front, rear, interior, and exterior side setback;
 - ii. landings, porches, and stairs may project up to 2.4 metres into a required front setback; and
 - iii. decks may project to the front or exterior side lot line.
- (6) Despite **Section 8**, barrier-free parking spaces may be located more than 10.0 metres from an accessible entrance of the use which it serves, provided a path of travel between the parking space and accessible entrance is provided having:
 - (a) a continuous plane not interrupted by steps or abrupt changes in level;
 - (b) permanent, firm, and slip resistant surface such as asphalt or concrete; and
 - (c) an uninterrupted width of not less than 1.5 metres and a gradient not steeper than 1 in 20.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development





Figure 16-17. Aspen-Murrelet Sub-Areas

Figure 16-18. Aspen-Murrelet Setbacks



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD21 - 468 Anderton Road

CD21.1 Permitted Uses

- (1) In the CD21 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Home Occupation, Minor
 - (c) Two or More Attached Dwelling Units

CD21.2 Density

(1) Density shall not exceed 36 units per hectare.

CD21.3 Minimum Lot Area

(1) Minimum lot area shall be 4,000.0 square metres.

CD21.4 Minimum Lot Width

(1) Minimum lot width shall be 52.0 metres

CD21.5 Maximum Lot Coverage

(1) Lot coverage shall not exceed 35%.

CD21.6 Maximum Height and Storeys

- (1) Maximum Height: 9.0 metres
- (2) Maximum Storeys: 2

CD21.7 Minimum Setbacks

(1) Minimum setbacks shall be as shown in **Figure 16-19.**

CD21.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 4.0 metres in height;
 - (b) not exceed a maximum of 10% of lot coverage;
 - (c) not be located in the front yard; and
 - (d) not be located closer than 2.0 metres from a rear or side lot line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD21.9 Conditions

- (1) Despite **Section 5.3.2**, awnings, balconies, bay windows, canopies, chimneys, cornices, eaves, gutters, landings, leaders, ornamental features, pilasters, porches, sills, stairs, or sunshades may project up to 0.6 metres into a required front, rear, and side setback.
- (2) Despite **Section 8**, the minimum width of a two-way manoeuvring aisle shall be 6.0 metres.
- (3) No more than one access driveway shall be permitted per lot.




Figure 16-19. 468 Anderton Road Setbacks

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions	
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading	
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones	
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development	

CD22 – Aspen Townhouses

CD22.1 Permitted Uses

- (1) In the CD22 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Home Occupation, Minor
 - (c) Two or More Attached Dwelling Units

CD22.2 Density

(1) Density shall not exceed 45 units per hectare.

CD22.3 Minimum Lot Area

(1) Minimum lot area shall be 5,000.0 square metres.

CD22.4 Minimum Lot Width

(1) Minimum lot width shall be 40.0 metres

CD22.5 Maximum Lot Coverage

(1) Lot coverage including impervious surfaces shall not exceed 70%.

CD22.6 Maximum Height and Storeys

- (1) Maximum Height: 9.0 metres
- (2) Maximum Storeys: 2

CD22.7 Minimum Setbacks

- (1) Minimum Setback (portion of a building used as a garage or carport): 5.0 metres
- (2) Minimum Setback (any other portion of a building): as shown in **Figure 16-20.**

CD22.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 3.0 metres in height;
 - (b) not exceed 80.0 square metres of floor area;
 - (c) despite subsection **(b)**, where individual accessory buildings are provided for residential units, not exceed 2.5 square metres of floor area per dwelling unit;
 - (d) not be located in a front or exterior side yard; and
 - (e) not be located closer than 1.2 metres from a rear or side lot line.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD22.9 Conditions

- (1) No solid waste collection or recycling collection areas shall be located within 6.0 metres of any lot line abutting a lot in a **Low-Density Residential** or **Multi-Unit Residential** zone.
- (2) Driveways shall not exceed 6.0 metres in width.
- (3) No more than three access driveways shall be permitted to Grumman Place, including a common access driveway.
- (4) No vehicle access shall be permitted to Aspen Road.
- (5) Despite **Section 5.3.2**, awnings, balconies, bay windows, canopies, chimneys, cornices, eaves, gutters, landings, leaders, ornamental features, pilasters, porches, sills, stairs, or sunshades, may project up to 0.6 metres into a required front, side, or rear setback.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-20. Aspen Townhouses Setbacks

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD23 – Apartments

CD23.1 Permitted Uses

- (1) In the CD23 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Child
 - (c) Home Occupation, Minor
 - (d) Three or More Attached Dwelling Units

CD23.2 Density

- (1) Density shall not be less than 55 units per hectare.
- (2) Density shall not exceed 80 units per hectare.
- (3) Despite **Section CD23.2(2)**, where not less than 40% of the total number of required parking spaces are provided underground or within a residential building footprint, density shall not exceed 150 units per hectare.
- (4) Despite **Section CD23.2(2)** and **(3)**, where more than 80% of the total number of required parking spaces are provided underground or within a residential building footprint, there shall be no limit to the number of units permitted per hectare.

CD23.3 Minimum Lot Area

(1) Minimum lot area shall be 3,500.0 square metres.

CD23.4 Minimum Lot Width

(1) Minimum lot width shall be 50.0 metres

CD23.5 Maximum Lot Coverage

- (1) Lot coverage shall not exceed 40%.
- (2) Lot coverage including impervious surfaces shall not exceed 75%.

CD23.6 Maximum Height and Storeys

- (1) Maximum Height shall not exceed:
 - (a) 16.0 metres for buildings up to 4 storeys; and
 - (b) 12.0 metres for buildings up to 3 storeys.

CD23.7 Minimum Setbacks

(1) Front Setback:

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (a) For 9.0 metres as measured parallel to and at the front setback: 9.0 metres, as shown in Figure 16-21
- (b) Additional setback area shall be provided for every 100.0 metres of linear front lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
- (c) All other situations: 3.0 metres
- (2) Rear Setback:
 - (a) 9.0 metres
 - (b) For building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-22**
- (3) Side Setback:
 - (a) 9.0 metres
 - (b) For building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-22**
 - (c) (4) Exterior Side Setback:
 - (a) For 9.0 metres as measured parallel to and at the exterior side setback: 9.0 metres, as shown in **Figure 16-21**
 - (b) Additional setback area shall be provided for every 100.0 metres of linear exterior side lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
 - (c) All other situations: 3.0 metres
- (5) Despite **Section CD23.7(1)-(4)**, the minimum setback from any lot line abutting a greenway that is 10.0 metres or greater in width shall be 5.0 metres.
- (6) Despite **Section CD23.7**, the minimum setback from any lot line abutting a lot in the Agricultural Land Reserve shall be 15.0 metres.

CD23.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed 9.0 metres and 2 storeys in height, where such accessory buildings or structures are used for shared amenity areas;
 - (b) not exceed 4.5 metres in height for any other accessory building or structure;
 - (c) not exceed a maximum of 10% of lot coverage; and
 - (d) not be located in a front or exterior side yard.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD23.9 Conditions

- (1) Child care facilities shall be located on the first storey of a principal building or accessory building.
- (2) Attached dwelling units with separate ground-level accesses shall:
 - (a) only be located within a residential building containing additional principal dwelling units accessed through common hallways;
 - (b) not be located above or below another attached dwelling unit with separate ground-level access unit; and
 - (c) not be located above the second storey of the residential building.
- (3) Not less than 25% of all dwellings units on a lot shall include two or more bedrooms.
- (4) The first storey of a principal building comprising more than three attached dwelling units shall:
 - (a) be located not more than 1.5 metres above or 1.0 metre below the top of an adjacent Town sidewalk as shown in **Figure 16-23** when located along a front or exterior side yard, and in the absence of a Town sidewalk, as measured from finished grade at the front or exterior side lot line; and
 - (b) **Section CD23.9(5)(a)** does not apply to dwelling units located 6.0 metres or more from an edge of a Town sidewalk, and in the absence of a Town sidewalk, from a front or exterior side lot line.
- (5) Along a front or exterior side yard, parking areas located within a building at or more than 1.5 metres above finished grade shall be screened from the street by dwelling units as shown in **Figure** 16-24.
- (6) Residential building length shall:
 - (a) not exceed 85.0 metres in length, including projections; and
 - (b) where a directional turn of 90-135 degrees is provided, no section of a residential building shall exceed 85.0 metres in length, as shown in **Figure 16-25**.
- (7) Garbage and recycling storage, and accessory uses such as dog runs and community gardens shall not be located within a front or exterior side yard.
- (8) Despite **Section 5.3.2**:
 - (a) awnings, canopies, cornices, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades may project up to 0.6 metres into a required setback;
 - (b) decks, patios, stairs, and landings less than 0.6 metres above immediately adjacent finished grade, may project up to 1.5 metres into a required setback; and
 - (c) balconies may project up to 1.0 metre into a required setback.
- (9) Despite **Section 7.3**, a landscape screen shall be provided along all front or exterior side lot line where there is parking located within a building more than 0.6 metres but less than 1.5 metres above finished grade.
- (10) Despite **Section 7.4**, no fence shall be permitted within a front or exterior side yard.
- (11) Driveways shall not exceed 6.0 metres in width.
- (12) No more than one driveway per highway frontage shall be permitted per lot.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development





Figure 16-21. Front and Exterior Side Setbacks and Setback Areas





1 – Administration 2 – Enforcement 3 – Interpretation 4 – Definitions 6 – Use-Specific Regulations 5 – General Regulations 7 – Landscaping & Screening 8 – Parking and Loading 9 - Low-Density Residential Zones 10 – Multi-Unit Residential Zones 11 – Mixed-Use Zones 12 – Employment Zones 14 – Park and Public Use Zones 13 - Marine Zones 15 – Special Use Zones 16 – Comprehensive Development

Figure 16-23. First Storey Elevation





Figure 16-24. Screening Parking Areas Using Dwelling Units



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-25. Residential Building Length

-	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
	9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD24 – Apartments and Townhouses

CD24.1 Permitted Uses

- (1) In the CD24 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Child
 - (c) Home Occupation, Minor
 - (d) Two or More Attached Dwelling Units

CD24.2 Density

- (1) Density shall not be less than 55 units per hectare.
- (2) Density shall not exceed 80 units per hectare.
- (3) Despite **Section CD24.2(2)**, where not less than 40% of the total number of required parking spaces are provided underground or within a residential building footprint, density shall not exceed 150 units per hectare.
- (4) Despite **Section CD24.2(2)** and **(3)**, where more than 80% of the total number of required parking spaces are provided underground or within a residential building footprint, there shall be no limit to the number of units permitted per hectare.

CD24.3 Minimum Lot Area

(1) Minimum lot area shall be 3,500.0 square metres.

CD24.4 Minimum Lot Width

(1) Minimum lot width shall be 50.0 metres

CD24.5 Maximum Lot Coverage

- (1) Lot coverage shall not exceed 40%.
- (2) Lot coverage including impervious surfaces shall not exceed 75%.

CD24.6 Maximum Height and Storeys

- (1) Maximum Height shall not exceed:
 - (a) 16.0 metres for buildings up to 4 storeys; and
 - (b) 12.0 metres for buildings up to 3 storeys.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD24.7 Minimum Setbacks

- (1) Front Setback:
 - (a) For 9.0 metres as measured parallel to and at the front setback: 9.0 metres, as shown in Figure 16-26
 - (b) Additional setback area shall be provided for every 100.0 metres of linear front lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
 - (c) All other situations: 3.0 metres
- (2) Rear Setback:
 - (a) 9.0 metres
 - (b) For building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-27**
- (3) Side Setback:
 - (a) 9.0 metres
 - (b) For building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-27**
 - (c) (4) Exterior Side Setback:
 - (a) For 9.0 metres as measured parallel to and at the exterior side setback: 9.0 metres, as shown in **Figure 16-26**
 - (b) Additional setback area shall be provided for every 100.0 metres of linear exterior side lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
 - (c) All other situations: 3.0 metres
- (5) Despite **Section CD24.7(1)-(4)**, the minimum setback from any lot line abutting a greenway that is 10.0 metres or greater in width shall be 5.0 metres.
- (6) Despite **Section CD24.7**, the minimum setback from any lot line abutting a lot in the Agricultural Land Reserve shall be 15.0 metres.

CD24.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed a maximum of 5% of lot coverage;
 - (b) not be located in a front or exterior side yard;
 - (c) not exceed 9.0 metres and 2 storeys in height, where such accessory buildings or structures are used for shared amenity areas;
 - (d) not exceed 4.5 metres in height for any other accessory building or structure;

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (e) despite subsections (c) and (d), where individual accessory buildings are provided for residential units, not exceed 6.5 square metres of floor area per dwelling unit and not exceed 2.5 metres in height; and
- (f) for individual accessory buildings provided for residential units, shall not be located closer than 2.0 metres from a rear or side lot line.

CD24.9 Conditions

- (1) Child care facilities shall be located on the first storey of a principal or accessory building.
- (2) The combined number of attached dwelling units with separate ground-level accesses shall not exceed 20% of all dwelling units on a lot.
- (3) Not less than 25% of all dwellings units on a lot shall include two or more bedrooms.
- (4) Attached dwelling units with separate ground-level accesses may be located within a principal building containing more than three attached dwelling units accessed through common hallways.
- (5) Where attached dwelling units with separate ground-level accesses are located within a principal building containing more than three attached dwelling units accessed through common hallways, such dwelling units shall:
 - (a) not be located above or below another attached dwelling unit with separate ground-level access; and
 - (b) not be located above the second storey of a residential building.
- (6) The first storey of a principal building comprising more than three attached dwelling units shall:
 - (a) be located not more than 1.5 metres above or 1.0 metre below the top of an adjacent Town sidewalk as shown in **Figure 16-28** when located along a front or exterior side yard, and in the absence of a Town sidewalk, as measured from finished grade at the front or exterior side lot line; and
 - (b) **Section CD24.9(6)(a)** does not apply to dwelling units located 6.0 metres or more from an edge of a Town sidewalk, and in the absence of a Town sidewalk, from a front or exterior side lot line.
- (7) Along a front or exterior side yard, parking areas located within a building at or more than 1.5 metres above finished grade shall be screened from the street by dwelling units as shown in **Figure 16-29**.
- (8) Residential building length shall:
 - (a) not exceed 85.0 metres in length, including projections; and
 - (b) where a directional turn of 90-135 degrees is provided, no section of a residential building shall exceed 85.0 metres in length, as shown in **Figure 16-30**.
- (9) Garbage and recycling storage, and accessory uses such as dog runs and community gardens shall not be located within a front or exterior side yard.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

(10) Despite **Section 5.3.2**.:

FRONT OLT LINE

- (a) awnings, canopies, cornices, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades may project up to 0.6 metres into a required setback;
- (b) decks, patios, stairs, and landings less than 0.6 metres above immediately adjacent finished grade, may project up to 1.5 metres into a required setback; and
- (c) balconies may project up to 1.0 metre into a required setback.
- (11) Despite **Section 7.3**, a landscape screen shall be provided along all front or exterior side lot line where there is parking located within a building more than 0.6 metres but less than 1.5 metres above finished grade.
- (12) Despite **Section 7.4**, no fence shall be permitted within a front or exterior side yard.
- (13) Driveways shall not exceed 6.0 metres in width.
- (14) No more than one driveway per highway frontage shall be permitted per lot.




Figure 16-26. Front and Exterior Side Setbacks and Setback Areas

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SETBACK 5.0 M

MORE THAN 25.0 M


25.0 M OR LESS

SETBACK 9.0 M

Figure 16-27. Rear and Side Setbacks

REAR AND INTERIOR SIDE LOT LINE

Figure 16-28. First Storey Elevation



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Figure 16-29. Screening Parking Areas Using Dwelling Units





Figure 16-30. Residential Building Length



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD25 – Townhouses

CD25.1 Permitted Uses

- (1) In the CD25 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Child
 - (c) Home Occupation, Minor
 - (d) Two or More Attached Dwelling Units

CD25.2 Density

- (1) Density shall not be less than 30 units per hectare.
- (2) Density shall not exceed 80 units per hectare.

CD25.3 Minimum Lot Area

(1) Minimum lot area shall be 1,500.0 square metres.

CD25.4 Minimum Lot Width

(1) Minimum lot width shall be 30.0 metres

CD25.5 Maximum Lot Coverage

- (1) Lot coverage shall not exceed 40%.
- (2) Lot coverage including impervious surfaces shall not exceed 75%.

CD25.6 Maximum Height and Storeys

(1) Maximum Height: 12.0 metres

(2) Maximum Storeys: 3 storeys

CD25.7 Minimum Setbacks

(1) Front Setback:

(a) For 5.0 metres as measured parallel to and at the front setback: 5.0 metres, as shown in Figure 16-31

- (b) Additional setback area shall be provided for every 60.0 metres of linear front lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane;
- (c) All other situations: 3.0 metres
- (2) Rear Setback: 5.0 metres
- (3) Side Setback: 5.0 metres

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (4) Exterior Side Setback:
 - (a) For 5.0 metres as measured parallel to and at the exterior side setback: 5.0 metres, as shown in **Figure 16-31**
 - (b) Additional setback area shall be provided for every 60.0 metres of linear exterior side lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane;
 - (c) All other situations: 3.0 metres
- (5) Despite **Section CD25.7**, the minimum setback from any lot line abutting a lot in the Agricultural Land Reserve shall be 15.0 metres.

CD25.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed a maximum of 5% of lot coverage
 - (b) not be located in a front or exterior side yard;
 - (c) not be located closer than 2.0 metres from a rear or side lot line;
 - (d) not exceed 4.5 metres in height; and
 - (e) despite subsection **(d)**, where individual accessory buildings are provided for residential units, not exceed 6.5 square metres of floor area per dwelling unit and not exceed 2.5 metres in height.

CD25.9 Conditions

- (1) The combined number of two-unit attached dwelling units (duplexes) with separate ground-level accesses shall not exceed 20% of all dwelling units on a lot.
- (2) The first storey of a principal building comprising two or more attached dwelling units shall:
 - (a) be located not more than 1.5 metres above or 1.0 metre below the top of an adjacent Town sidewalk as shown in **Figure 16-32** when located along a front or exterior side yard, and in the absence of a Town sidewalk, as measured from finished grade at the front or exterior side lot line; and
 - (b) **Section CD25.9(2)(a)** does not apply to dwelling units located 6.0 metres or more from an edge of a Town sidewalk, and in the absence of a Town sidewalk, from a front or exterior side lot line.
- (3) Garbage and recycling storage shall not be located within a front or exterior side yard.
- (4) Despite **Section 5.3.2**:
 - (d) awnings, canopies, cornices, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades may project up to 0.6 metres into a required setback;
 - (e) decks, patios, stairs, and landings less than 0.6 metres above immediately adjacent finished grade, may project up to 1.5 metres into a required setback; and
 - (f) balconies may project up to 1.0 metre into a required setback.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (5) Despite **Section 7.4**, no fence shall:
 - (a) be permitted within a front or exterior side yard; and
 - (b) exceed a maximum height of 1.5 metres.

Figure 16-31. Front and Exterior Side Setbacks and Setback Areas





Figure 16-32. First Storey Elevation



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD26 – Commercial Residential

CD26.1 Permitted Uses

- (1) In the CD26 zone, the following uses are permitted and all other uses are prohibited:
 - (a) Accessory Buildings and Structures
 - (b) Care Facility, Child
 - (c) Cultural and Community Services
 - (d) Food Services
 - (e) Health Services
 - (f) Home Occupation, Minor
 - (g) Personal Services
 - (h) Professional Services, Internal-Facing
 - (i) Professional Services, Public-Facing
 - (j) Retail Sales
 - (k) Two or More Attached Dwelling Units
 - (I) Veterinary Services, Minor

CD26.2 Density

- (1) Density shall not be less than 55 units per hectare.
- (2) Density shall not exceed 80 units per hectare.
- (3) Despite **Section CD26.2(2)**, where not less than 40% of the total number of required parking spaces are provided underground or within a residential building footprint, density shall not exceed 150 units per hectare.
- (4) Despite **Section CD26.2(2)** and **(3)**, where more than 80% of the total number of required parking spaces are provided underground or within a residential building footprint, there shall be no limit to the number of units permitted per hectare.

CD26.3 Minimum Lot Area

(1) Minimum lot area shall be 3,500.0 square metres.

CD26.4 Minimum Lot Width

(1) Minimum lot width shall be 50.0 metres

CD26.5 Maximum Lot Coverage

- (1) Lot coverage shall not exceed 40%.
- (2) Lot coverage including impervious surfaces shall not exceed 75%.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD26.6 Maximum Height and Storeys

- (1) Maximum Height shall not exceed:
 - (a) 16.0 metres for buildings up to 4 storeys; and
 - (b) 12.0 metres for buildings up to 3 storeys.

CD26.7 Minimum Setbacks

- (1) Front Setback:
 - (a) For 9.0 metres as measured parallel to and at the front setback: 9.0 metres, as shown in Figure 16-33
 - (b) Additional setback area shall be provided for every 100.0 metres of linear front lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
 - (c) All other situations: 3.0 metres
- (2) Rear Setback:
 - (a) 9.0 metres
 - (b) For buildings less than 3 storeys and building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-34**
- (3) Side Setback:
 - (a) 9.0 metres
 - (b) For building elevations measuring 25.0 metres or less in width along the rear yard: 5.0 metres, as shown in **Figure 16-34**
- (4) Exterior Side Setback:
 - (a) For 9.0 metres as measured parallel to and at the exterior side setback: 9.0 metres, as shown in **Figure 16-33**
 - (b) Additional setback area shall be provided for every 100.0 metres of linear exterior side lot line, excluding lot lines that form a corner cut-off or that are within 6.0 metres of the intersection of two highways other than a lane; and minimum spacing between the multiple 9.0 metres setback areas shall be 20.0 metres
 - (c) All other situations: 3.0 metres
- (5) Despite **Section CD26.7(1)-(4)**, the minimum setback from any lot line abutting a greenway that is 10.0 metres or greater in width shall be 5.0 metres.
- (6) Despite **Section CD26.7**, the minimum setback from any lot line abutting a lot in the Agricultural Land Reserve shall be 15.0 metres.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

CD26.8 Development Regulations for Accessory Buildings and Structures

- (1) Accessory buildings or structures shall:
 - (a) not exceed a maximum of 5% of lot coverage;
 - (b) not be located in a front or exterior side yard;
 - (c) not exceed 9.0 metres and 2 storeys in height, where such accessory buildings or structures are used for shared amenity areas;
 - (d) not exceed 4.5 metres in height for any other accessory building or structure;
 - (g) despite subsections **(c)** and **(d)**, where individual accessory buildings are provided for residential units, not exceed 6.5 square metres of floor area per dwelling unit and not exceed 2.5 metres in height; and
 - (h) for individual accessory buildings provided for residential units, shall not be located closer than 2.0 metres from a rear or side lot line.

CD26.9 Conditions

- (1) Child care facilities shall be located on the first storey of a principal building or accessory building.
- (2) Non-residential uses other than child care facilities shall:
 - (a) be located within a principal building containing three or more attached dwelling units;
 - (b) not be located above the first storey;
 - (c) have a first storey located not more than 0.5 metres above and not more than 0.5 metres below the top of adjacent Town sidewalk; and
 - (d) **Section CD26.9(5)(c)** does not apply to commercial units located not less than 6.0 metres from a front and exterior side lot line.
- (3) For a distance of not less than 60.0 metres measured parallel to Aspen Road, the permitted use shall be limited to residential buildings with non-residential uses on the first storey for a depth of not less than 7.5 metres, measured perpendicularly from the exterior of the building fronting the road.
- (4) Attached dwelling units with separate ground-level accesses may be located within a principal building containing more than three attached dwelling units accessed through common hallways.
- (5) Where attached dwelling units with separate ground-level accesses are located within a principal building containing more than three attached dwelling units accessed through common hallways, such dwelling units shall:
 - (a) not be located above or below another attached dwelling unit with separate ground-level access; and
 - (b) not be located above the second storey of a residential building.
- (6) The combined number of two-unit attached dwelling units (duplexes) with separate ground-level accesses shall not exceed 20% of all dwelling units on a lot.
- (7) Not less than 25% of all dwellings units on a lot shall include two or more bedrooms.
- (8) The first storey of a principal building comprising more than two attached dwelling units shall:

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

- (a) be located not more than 1.5 metres above or 1.0 metre below the top of an adjacent Town sidewalk as shown in **Figure 16-35** when located along a front or exterior side yard, and in the absence of a Town sidewalk, as measured from finished grade at the front or exterior side lot line; and
- (b) Section CD26.9(8)(a) does not apply to dwelling units located 6.0 metres or more from an edge of a Town sidewalk, and in the absence of a Town sidewalk, from a front or exterior side lot line.
- (9) Along a front or exterior side yard, parking areas located within a building at or more than 1.5 metres above finished grade shall be screened from the street by dwelling units as shown in **Figure 16-36**.
- (10) Residential building length shall:
 - (a) not exceed 85.0 metres in length, including projections; and
 - (b) where a directional turn of 90-135 degrees is provided, no section of a residential building shall exceed 85.0 metres in length, as shown in **Figure 16-37**.
- (7) Garbage and recycling storage, and accessory uses such as dog runs and community gardens shall not be located within a front or exterior side yard.
- (8) Despite **Section 5.3.2**:
 - (a) awnings, canopies, cornices, eaves, gutters, leaders, ornamental features, pilasters, sills, or sunshades may project up to 0.6 metres into a required setback;
 - (b) decks, patios, stairs, and landings less than 0.6 metres above immediately adjacent finished grade, may project up to 1.5 metres into a required setback; and
 - (c) balconies may project up to 1.0 metre into a required setback.
- (9) Despite **Section 7.3**, a landscape screen shall be provided along all front or exterior side lot lines where there is parking located within a building more than 0.6 metres but less than 1.5 metres above finished grade.
- (10) Despite **Section 7.4**, no fence shall be permitted within a front or exterior side yard.
- (11) Driveways shall not exceed 6.0 metres in width.
- (12) No more than one driveway per highway frontage shall be permitted per lot.

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development





Figure 16-33. Front and Exterior Side Setbacks and Setback Areas





1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

Figure 16-35. First Storey Elevation





Figure 16-36. Screening Parking Areas Using Dwelling Units



1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development




Figure 16-37. Residential Building Length

	1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
	5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Lo	ow-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
	13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development

SECTION 17 | EFFECTIVE DATE

READ FOR A FIRST TIME this 19th day of November, 2025.

READ FOR A SECOND TIME this 19th day of November, 2025.

READ FOR A SECOND TIME, AS AMENDED, this 26th day of November, 2025.

PUBLIC HEARING HELD this XX day of MONTH, 2025.

READ FOR A THIRD TIME this XX day of MONTH, 2025.

MINISTRY OF TRANSPORTATION AND TRANSIT APPROVAL received this XX day of MONTH, 2025.

ADOPTED this XX day of MONTH, 2025.

Mayor	Corporate Officer

1 – Administration	2 – Enforcement	3 – Interpretation	4 – Definitions
5 – General Regulations	6 – Use-Specific Regulations	7 – Landscaping & Screening	8 – Parking and Loading
9 – Low-Density Residential Zones	10 – Multi-Unit Residential Zones	11 – Mixed-Use Zones	12 – Employment Zones
13 – Marine Zones	14 – Park and Public Use Zones	15 – Special Use Zones	16 – Comprehensive Development



Schedule A - Zoning Map

Town of Comox Zoning

Low-Density Residential Zones

Small-Scale Multi-Unit Residential (R-SSMU)

Cape Lazo Residential (R-CL)

Western Foreshore Residential (R-WF)

Large Lot Residential (R-LL)

Multi-Unit Residential Zones

Ground-Oriented Residential (MR-1)

Low-Rise Residential (MR-2)

Mid-Rise Residential (MR-3)

Mixed-Use Zones

Downtown Mixed-Use (MU-1)

Downtown Residential Mixed-Use (MU-2)

Corridor Mixed-Use (MU-3)

Neighbourhood Mixed-Use (MU-4)

Cape Lazo Accommodation (MU-5)

Employment Zones

Corridor Commercial (E-1)

Service Commercial (E-2)

Light Industrial (E-3)

Marine Zones

Open Water (M-1)

Marina (M-2)

Parks & Public Use Zones

Civic Facilities and Public Space (PU)

Parks and Nature Conservation (P-1)

Parks and Open Space (P-2)

Public Golf Course (P-3)

Special Use Zones

Agriculture (ALR)

DND Lands (DND)

Comprehensive Development Zones

Comprehensive Development Zones

