



TOWN OF
COMOX

1809 BEAUFORT AVE
COMOX BC V9M 1R9

PHONE: 250-339-2259
WEB: www.comox.ca

TREE INVENTORY FORM

INDIVIDUAL TREES PROPOSED TO BE CUT OR REMOVED

Unless an Arborist Report has been submitted, please complete the following table for all Regulated Trees to be Cut or Removed by this application. A Protected Tree is a type of Regulated Tree. See Tree Protection Bylaw No. 2063 for more information.

Tree No.	Species Type	Diameter at 1.4m height (DBH) (cm)	Approximate height (m)	Protected Tree
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

CALCULATION OF REQUIRED REPLACEMENT TREES

Please enter the number of Protected and Regulated Trees to be Cut or Removed in the table below, then calculate the number of required Replacement Trees.

Diameter at Breast Height (cm)	Regulated Trees to be Cut or Removed		Required Replacement Trees
19 or smaller		x 1 =	
20 – 59		x 2 =	
60 – 69		x 3 =	
70 – 79		x 4 =	
80 – 89		x 6 =	
90 – 99		x 8 =	
100 or larger		x 10 =	
	Total		



TOWN OF
COMOX

TREE INVENTORY FORM

1809 BEAUFORT AVE
COMOX BC V9M 1R9

PHONE: 250-339-2259
WEB: www.comox.ca

CREDIT FOR RETAINED TREES

This application proposes designating _____ Regulated Trees as Retained Trees for the purpose of reducing the number of required replacement trees.

Retained Trees designated in the Tree Permit can be used to reduce the number of required replacement trees to zero, subject to conditions. This reduction is not available to any application that proposes to remove more than 10 Regulated Trees, or to any application that would result, if approved, in more than 10 Regulated Trees having been removed from the Lot during the previous 2 years.

If your application proposes designating Retained Trees to credit against replacement requirements, an Arborist Report may be required. The Tree Permit will authorize the final number of required replacement trees based on your application and any supporting documentation.